







PVC MARLE PANEL

The price is only 1/5 of marble

ADVANTAGE:

Much lighter and cheaper than real marble
Waterproof and easy to clean
Anti-moisture and fireproof
High density but with good flexible
Easy to cut and install
UV protection

SPECIFICATION:

WIDTH:	1220mm
LENGTH:	2440mm
THICKNESS:	3.6mm
WEIGHT:	21 kg/pc
PACKAGE:	PE film

INTRODUCTION:


PVC MARBLE PANEL is an new products which is made with high quality pvc and uv material. It is the good substitute of real marble, compared with natural marble, the weight is is just 1/10 and the price is just 1/5. So they are widely used for indoor wall decorative.

AMASPRO INC

America & Asia Products Inc

PVC MARBLE PANEL







AMASPRO,INC


AMERICA & ASIA PRODUCTS,INC

Our experience and dedication have kept Amaspro the most professional supplier of PVC wall and ceiling panel products throughout Latin America.To further advance, Amaspro strives to ensure export safety. High quality, guaranteed delivery time and reliable services help us gain global reputation. Amaspro is pleased to provide you with one-step service from design, manufacturing, technological support and market analysis; The principle of always prioritizing customer satisfaction is the key to our success. We look forward to cooperating with you, we are fully confident in being your reliable partner and exceeding your expectations.



Installation


There are five different ways for installation. They are bonding the thin sheet, exposed frames with pressing strips around it, bonding the trim strip, dry hanging, unexposed frames with pressing strips around it.





bonding the thin sheet








unexposed frames with pressing strips around it








bonding the trim strip








Dry hanging



Glue for stone





exposed frames with pressing strips around it

Texture


AMASPRO,INC
AMERICA & ASIA PRODUCTS,INC


166C



0232B


0252D


1109


1160


1161



1167


1172


1173


1198


2020


2022


2025


2026


2027


2028


5306


8196-2


8209


8227

Installation

AMASPRO,INC
AMERICA & ASIA PRODUCTS,INC

These products are mainly used for all kinds of light partition wall of the building which is made for high-quality fire-proof material.




Such asbus terminal, railway stations, airports, office buildings, commercial buildings, hotels, research institutes, schools, hospitals, cinemas, gymnasium's internal heat insulation wall and ceiling decoration, also can be used for different types of decorative wall.In addition to these materials are widely used in all kinds of partition wall and ceiling of the building, they can also be used for: building sandwich, activity partition, sound absorption structure, heat insulation, signs, fire separation zone, fence, refractory between duct, fire doors, eaves manger, shops, partition, baseboard, locker, billboards and so on.

The waterproof and moisture proof property of product determines that it is high insulation board that is applicable for the bathroom, kitchen and bathroom.




At the bottom of the confirmation and its cleaning: Keeping it fully dry, make it flat. (wipe the rubbish and dust on the surface of the bottom, please use the gypsum sheets, magnesium sheets or waterproof sheets with smooth surface)



Line and positioning: According to the line and shape of the decoration, we lined and positioned with ruler.



Paste on appointed location with double side tape, pressing it and make it tight.
Usage amount: (for wall) 3.3/ ㎡
(For Ceiling) 4.3/ ㎡





Cut the bite mouth of the glue bottle off, making the opening is of the same width as a cigarette. Then pour the glue at the predetermined position with glue in linear form.Usage amount: (for wall) 0.5pcs/M^2 (For Ceiling) 0.6pcs/M^2



The removal of Separation papers of double side tape







Bonding the decorative sheet
The decorative sheet is bonded at the fixed position ten minutes after smearing the glue. Pressing the sheet to make sure it is fully bonded. Please do not bond the decorative sheet twice.

Maintenance
Maintenance during smearing the glue



AMASPRO,INC
AMERICA & ASIA PRODUCTS,INC

AMASPRO,INC
AMERICA & ASIA PRODUCTS,INC

Office in Panama



People to Contact:	***Emails:***
Marco González-Gerente General	sales@amaspro.com – Gerencia General
César Rodríguez-Ventas Int.	sales1@amaspro.com – Ventas Int
Martin Castillero-Op. y Logistica	sales3@amaspro.com – Op. y Logistica
Elida Vega-Admon-Finanzas	contac1@amaspro.com – Admon-Finanzas
Dally Siles -Asistente Admon	sales2@amaspro.com – Asist.

Contact us Headquarters

•(507) 277-4083 •(507) 277-4183 •(507) 277-4153
•(507) 277-4253 •(507) 277-4283 •(507) 392-3640 •(507) 392-7271

Marketing Management in Costa Rica

People to Contact:	***Emails:***
Marco González-Gerente General	amasprocr@gmail.com – Gerencia
Yorleny Leiton -Ventas Int.	amasprocr1@gmail.com> – Ventas Int

Contact Offices Costa Rica

•(506) 2101-4485 •(506) 8674-2000 (celular) •(506) 8530-5252 (celular)