




AMASPRO INC

América & Asia Products Inc

2014-2015

CATALOG PRODUCT





AMASPRO INC

América & Asia Products Inc





FB22



FB23



FB24



FB25



FB26



FB27

AMASPRO INC
América & Asia Products Inc

DRILLING SCREWS and TAPPING SCREWS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



DR01

Hex Washer Head Drilling Screw
Assembled with EPDM Bonded Washer

Dia of Threaded	Drill NO.
(#8) 4,2	#2
(#10) 4.8	#2
(#12) 5.5	#3
(#14) 6.3	#3

Finish: Zinc Plated



DR02

Roofing Screws,Head Painted, With EPDM Washer
1, Reduced drilling point
2, Standard drlling point

dimension D×L (mm)	RAL NO.	Drill NO.
4.8x25,29,32,38,51,70, 80	3003,3005,3009,	#2
5.5x19, 25, 38, 50,70	3011,5005,6005,	#3
6.3x25, 38, 50	8017,9003	#3

Finish: ZP, Head With Color Painted



DR03

Hex Washer Head Drilling Screw, Reverse
Wings With Big Bowl Shape EPDM Washer

Dia of Threaded	Length	Drill #
(#12) 5.5	2"-6"	3
(#14) 6.3		3

Finish:Zinc Plated
Standard: American and Metric System



DR04

Hex Flang Head Drilling Screw,Spoon Point
With Rubber Washer On The Head

dia of thread	Length
(#10) 4.8	1/2"-3"
(#12) 5.5	3/4"-3"
(#14) 6.3	1" - 4"

Finish: ZP, Hot dip galvanized



DR05

Drilling Screws,Phillips Flat Head With
Wing Ribs Under The Head

Dia of Threaded	Length	Drill NO.
#8 (4.2mm)	1/2,3/4,5/8,1 1-1/2,1-3/4,2,2-1/2, ...	#2

Finish: Zinc Plated



DR06

Hex Head With Big Cap Stitching Drilling Screw

Dia of Thread	Length
(#10) 4.8	16-50mm
(#12) 5.5	19-60mm
(#14) 6.3	19-80mm

Finish: Zinc Plated



DR07

Button Head Drilling Screw

Dimension: D×L	Drill NO.
8-18×12	#2
8-18×16	
8-18×20	
8-18×25	
8-18×32	

Finish: Zinc Plated



DR08

Phillips Flat Head Drilling Screw
W or W/O Nibs Under The Head

Dia of Thread
#6 (ST3.5mm)
#7 (ST3.9mm)
#8 (ST4.2mm)

Finish: Zinc Plated



KR09

Sandwich Panel Drilling Screw,
Double Thread up=12mm Wood thread,
down=80mm Machine Thread.
Assembled with EPDM Bonded Washer

Dia of Thread	Length	Drill NO.
5.5/6.3	From 90 mm to 285 mm	#5

Finish: Zinc Plated



DR10

Hex Washer Head Self Drilling Screws
3 Cut Lines on the Thread,Long Drill

Dia of Thread	Length	Drill No.
#12 (5.5mm)	32,38,50	#5
#14 (6.3mm)	32,38,51	#5

Finish: Zinc Plated



DR11

Oval Head Cross Drive Drilling Screw

Dia of Thread
#6 (3.5mm)
#7 (3.9mm)
#8 (4.2mm)
#10 (4.8mm)

Finish:Zinc Plated



DR12

Trox Pan Head Drilling Screw
Serrection Under The Head

Dia of Thread	Length	Drill No.
#8 (4.2mm)	13-50 mm	#2
#10(4.8mm)	16-80 mm	#2
#12(5.5mm)	19-100mm	#3

Finish: Zinc Plated



DR13

Cross Drive Pan Head SDS

Dia of Thread
#6 (3.5mm)
#7 (3.9mm)
#8 (4.2mm)

Finish:Zinc Plated



DR14

Modified Truss Head Pils Drilling Screws

Dimension (D x L)		
Metric (mm)	Inch	Drill No.
4.2x13,14,16,19, 25, 32,38,50,76	#8 x1/2,5/8,3/4,1, 1-1/2,1-3/4,2, 2-1/2	2#

Finish: Zinc Plated



DR15



DR16



DR17

AMASPRO INC

América & Asia Products Inc

TAPPING SCREWS and MACHINE SCREWS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



TA01

Hex Flange Heed Wood Screw,Type17 Point
With Rubber Washer

Dia of Threaded	length (inch)	Sharp Point
(#10) 4.8	1/2,3/4,1,1-1/2,2	Type 17
(#12) 5.5	3/4,1,1-1/2,2,2-1/2,3,3-1/2,4	Type 17
(#14) 6.3	1,1-1/2,2,2-1/2,3,3-1/2,4,5"	Type 17

Finish:YZP



TA02

Hex Flange Head Wood Screw,Type17 Point
With or W/O Rubber Washer

Dia of Threaded	Length (inch)
(#10) 4.8	1/2,3/4,1,1-1/2,2
(#12) 5.5	3/4,1,1-1/2,2,2-1/2,3,3-1/2,4
(#14) 6.3	1,1-1/2,2,2-1/2,3,3-1/2,4,5"

Finish: Hot dip galvanized



TA03

Buldge Head Drywall Screw, Fine and Coarse Threaded

Dia of Thread
6(ST3.5mm)
7(ST3.9mm)
8(ST4.2mm)
10(ST4.8mm)
12(ST5.5mm)

Finish:Oxied Black,Grey Black,ZP



TA04

Cross Recess Flat Head Drywall Screw
With 4 Nibs Under The Head

Dia of Thread	length (inch)
#6(3.5mm)	3/4,1,1-1/4,1-1/2,1-3/4,2
#8(4.2mm)	3/4,1,1-1/4,1-1/2,1-3/4,2
#10(4.8mm)	1,1-1/4,1-1/2,1-3/4,2,2-1/2,3
#12(5.5mm)	1,1-1/4,1-1/2,1-3/4,2,2-1/2,3
14(6.3mm)	1-1/4,1-1/2,1-3/4,2,2-1/2,3,3-1/2,4

Finish:Oxied Black,Grey Black,ZP



TA05

Pozi Recessed Countsunk Chipboard Screws

Dia of Thread	Length (mm)
2.5	12,14,15,16,18,20,25,30
3.0	12,14,15,16,18,20,25,30,35,40,45
3.5	12,14,16,18,20,25,30,35,40,45,50,60
4.0	10,12,13,16,20,25,30,35,40,50,60
4.5	from 10 to 70
5.0	from 13 to 150
6.0	from 16 to 200

Finish: Zinc Plated



TA06

Torx Drive Round Head Concrete Screw
3 Cuts Line on the Thread

Dia of Thread	Length (mm)
7.2 mm	32,42,52,62,72,82,92,102, 112,132,152,162,172,182, 202,212,232,252

Finish: Zinc Plated



TA07

Confirmat Screw for Furniture
Deep Hex and Pozi Drive on the Top

Dia of Thread	Length (mm)
5.00	40,50
6.3	40,45,50,60
7.00	40,45,50,60,70,75

Finish: Zinc Plated




TA08

Hanger Bolt,Machine Thread And Wood Thread
Torx Drive On The Top,Hex In The Middle

Dia of Thread	Length (mm)
M6-1.0	40 - 120 mm
M8-1.25	40 - 180 mm
M10 -1.5	50-260 mm
M12-1.75	60-280 mm

Finish: Zinc Plated



TA09

Hex Head Wood Screw
STANDARD: DIN571
Metric and American System available

Finish: Zinc Plated



TA10

Anchor Nail, Flat Head or Collor Head
Cross or Pozi Drive

Dia of Thread
3.8mm
3.9mm
4.0mm
4.2mm

Finish: Zinc Plated



TA11

Combo Recess Pan Head Tapping Screw

Dia of Thread
6 (ST3.5)
8 (ST4.2)
10 (ST4.8)
12 (ST5.5)
14 (ST6.3)

Finish: Zinc Plated



TA12

Phillips Flat Head Tapping Screw

Dimension: D×L (inch)		
6×1/2	8×3/4	10×1
6×3/4	8×1	10×1-1/4
6×1	8×1-1/4	10×1-1/2
6×1-1/4	8×1-1/2	10×1-3/4
6×1-1/2	8×1-5/8	10×2

Finish: Zinc Plated



TA13

Slotted Hex Washer Head Tapping Screw

Dia of Thread
6 (ST3.5)
8 (ST4.2)
10 (ST4.8)
12 (ST5.5)
14 (ST6.3)

Finish: Zinc Plated



TA14

Modifided Truss Head Tapping Screw

Dia of Thread	Length (mm)
#8 (4.2mm)	13,14,16 76

Finish: Zinc Plated



TX 01



TX 02



TX 03

AMASPRO INC
América & Asia Products Inc

TAPPING SCREWS and MACHINE SCREWS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



TA15

Hook Screws
Cup Hook
Eye Screw
L-Type Screw

Finish: ZP/BP/NP



TA16

Hook Screws with Shoulder
Cup Hook with Shoulder,
Eye Hook with Shoulder,
Square Hook with Shoulder

Finish: YZP,Nickle Plated,Brass Plated,
PVC Baking Finish



TA17

Welded Eye Bolt With Lag Screw

Dia of Thread	Length
8mm	80,90,100.....180
10mm	90,110,120...220
12mm	90,100,110.....300

Finish: Zinc Plated



TA18

Slotted Flat Head Wood Screw
Cross or Pozi Recessed

Dia of Thread
6 (ST3.5)
7 (ST3.9)
8 (ST4.2)
9 (ST4.6)
10 (ST4.8)



MS01

Din7380
Hex Socket Pan Head Machine Screw

dimension D×L(mm)
M6x16,19,22,25,30,35,40,50
M8x20,25,30,35,40,50,60,80
M10x20,25,30,35,40,50,60,80

Grade: 4.8, 8.8
Finish: Zinc Plated



MS02

Combo Recess Truss Head Machine Screw
Dimension: D x L (inch)

Dia of Thread	Length
5/32	1/2,3/4,1,11/4,11/2,2
8/32	1/2,3/4,1,11/4,11/2,2
3/16	1/2,3/4,1,11/4,11/2,2
1/4	1/2,3/4,1,11/4,11/2,2,3

Finish: Zinc Plated



MS03

Round Head Slotted Machine Screw

dimension D×L(inch)		
5/32×1/2	3/16×1/2	1/4×1/2
5/32×3/4	3/16×3/4	1/4×3/4
5/32×1	3/16×1	1/4×1
5/32×11/4	3/16×11/4	1/4×11/4
5/32×11/2	3/16×11/2	1/4×11/2
5/32×2	3/16×2	1/4×2
	316×21/2	1/4×21/2
		1/4×3

Finish: Zinc Plated



MS04

Din 84 Slotted Round Head Machine Screw

Dia of Thread
M3
M4
M5
M6
M8

Finish: Zinc Plated



MS05

Truss Head Combin Recess Brake Off Machine Dcrew

dimension: D×L (inch)
8/32×13/4
8/32×2
M4×13/4
M4×2

Finish: Zinc Plated



MS06

Trox Drive Pan Head Machine Screw

Dia of Thread
M4
M5
M6
H8

Finish: Zinc Plated



MS07

Din965 Cross Flat Head Machine Screw

Dia of Thread
M4 (5/32")
M5 (3/16")
M6 (1/4")

Finish: Zinc Plated



MS08

Din7985 Pan Head Cross Drive Machine Screw
American and British System

Dia of Thread
M4
M5
M6
M8

Finish: Zinc Plated



MS09

Din967
Wafer Head Pozi Drive Machine Screw

Dia of Thread
M4
M5
M6
M8

Finish: Zinc Plated



MS10

Din963 Slotted Flat Head Machine Screws

Dia of Thread
M4
M5
M6
M8

Finish: Zinc Plated



TX 04




TX 05

AMASPRO INC
América & Asia Products Inc

BOLTS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



BT01

Din975,Thread Stud and Rods

Dia of Thread	
5mm(3/16")	16mm (5/8")
6mm (1/4")	20mm (3/4")
8mm (5/16")	22mm (7/8")
10mm (3/8")	24mm (1")
12mm (1/2")	Length: 1-3M

Length: 1-6m
Finish: Zinc Plated



BT03

Din912 Hex Socket Bolt
with Spring Washer
Assembled

Material: Carbon Steel
Finish: Zinc Plated



BT05

Din931
Hex Bolt, Half Thread
Grade: 4.8, 6.8, 8.8

Material: Carbon Steel
Finish: Zinc Plated, Black Oxied



BT07

Din6921
Hex Flange Bolt,
Serration under the Head

Grade: 4.8, 8.8
Material: Carbon steel
Finish: Zinc Plated



BT09

Ball Bolt with Square Nut and Round Washer

Dimension DxL(inch)
3/8 x 3"
3/8 x 4"
3/8 x 5"
3/8 x 6"

Finish: Zinc Plated



BT11

Slotted truss head bolt with hammer nut

Finish: Zinc Plated



BT13

Furniture Connection Bolt
Round Flat Head
Hex socket on the Head
Fine Thread

Finish: Zinc Plated



BT02

Din603, Carriage Bolt
Mushrom Head, Square Neck
Half or Full Thread

Finish: Zinc Plated



BT04

Hex Bolt
3 in 1 Assembled Washers and Screw

Dia of Bolt Thread
M6
M8
M10

Finish: Zinc Plated



BT06

Din933, 558
Hex Bolt, Full Threaded
Grade: 4.8, 6.8, 8.8

Material: Carbon Steel
Finish: Zinc Plated, Black Oxied



BT08

DIN607
Round Head Bolt, Half Thread
Stop Rib under the Head

Finish: Zinc Plated



BT10

Square Type and Round Type
U bolt with or w/o hex nut

Finish: Zinc Plated, Hot Dip ZP



BT12

Hook Bolt,
O,S,C Type

Dia of Bolt Thread
1/4 (6.3mm)
5/16(7.93mm)
3/8 (9.5mm)
1/2 (12.7mm)

Finish: Zinc Plated



BT14

Furniture Connection Bolt and Nut
Round Flat Head
Hex socket on the Head
Fine Thread

Finish: Nickel Plated, Zinc Plated

AMASPRO INC

América & Asia Products Inc

NUT and STEEL WASHER

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



NT01
Square Nut

Material: Carbon Steel

Finish: ZP



NT02
Spring Nut

Material: Carbon Steel

Finish: ZP



NT03
DIN 934
Hexagon Nut

Material: Carbon Steel,Stainless

Finish: ZP,Oxied Black,Hot Dip ZP



NT04
DIN 6334
Long Hex Nut

Material: Carbon Steel

Finish: ZP



NT05
DIN 6923
Hex Flange Nut
with or w/o serration under head

Material: Carbon Steel

Finish: ZP,



NT06
DIN 1587
Cap Nut

Material: Carbon Steel,Stainless

Finish: ZP



NT07
DIN982
Nylon Inser Lock Nut

Material: Nylon, Carbon Steel,Stainless

Finish: ZP



NT08
DIN985
Nylon Inser Lock Nut

Material: Nylon, Carbon Steel,Stainless

Finish: ZP



NT09
DIN 1624
4-Claws Nut

Material: Carbon Steel

Finish: ZP



NT10
Stamping Nut

Material: Carbon Steel


Finish: ZP



NT11
DIN 315
Wing Nut

Material: Carbon Steel,Stainless


Finish: ZP



NT12
DIN935
Slotted Nut

Material: Carbon Steel

Finish: ZP



NT13
Round Connection Nut

Material: Carbon Steel

Finish: ZP



NT14
Hammer Nut

Material: Carbon Steel, Zinc Alloy

Finish: Plain, ZP



NT15
Insert Teeth Lock Nut

Material: Carbon Steel

Finish: ZP, Oxied Black



NT16
T-nut

Material: Carbon Steel

Finish: Plain, ZP



NT17
DIN928
Square Welded Nut

Material: Carbon Steel

Finish: Plain, ZP



NT18
Din929
Hex Welded Nut


Material: Carbon Steel
Finish:Plain, ZP

AMASPRO INC

América & Asia Products Inc

NUT and STEEL WASHER

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



NT19
Zinc Alloy
Insert Nut

Material: Zinc Alloy



NT20
Inside/outside Thread Nut without cover

Material: Iron
Finish: Zinc Plated



NT21
Inside/outside Thread Nut with cover

Material: Iron
Finish: Zinc Plated



NT22
Small Head Knurled Body Blind Nut

Material: Aluminum, Carbon Steel, SS

Finish: Plain
Zinc Plated



NT23
Small Hexagonal Head Blind Nut

Material: Aluminum, Carbon Steel, SS

Finish: Plain
Zinc Plated



NT24
Flat Head Half hex Body Blind Nut

Material: Aluminum, Carbon Steel, SS

Finish: Plain
Zinc Plated



WA01
DIN9021
Flat Wahser

Material: Carbon Steel

Finish: ZP, Oxied Black , Hot Dip Zinc Plated



WA02
DIN125 Flat Washer

Material: Carbon Steel

Finish: ZP, Oxied Black , Hot Dip Zinc Plated



WA03
DIN127B Spring Washer


Material: Spring Steel

Finish: Zinc Plated



WA04
Rubber and Metal bonded EPDM washer

Material: rubber carbon steel



WA05
Din6799
E type Clamp washer

Material: Carbon Steel

Finish: Zinc Plated



WA06
Lock Washer inside and external Teeth

Material: Carbon Steel

Finish: Zinc Plated



WA07
Clamp Ring

Material: Carbon Steel

Finish: ZP, Oxied Black



WA08
Calathifou Anti Slip Washer


Material: Carbon Steel

Finish: ZP, Oxied Black



WA09
Wave Spring Washer

Material: Carbon Steel
Finish: ZP, Oxied Black



We work internation standard METRIC(mm) size and AMERICAN size (inch)	
METRIC (mm)	INCH(")
3,4,5,6,8,10,12,14,16,18,20,22,24	5/32 1/4,5/16,3/8...1
Material: Carbon Steel,Stainless	
Coat: Zinc Plated,Oxied Black,Hot Dip ZP	

We work Special specification of nut and washer according to buyer's demand.

AMASPRO INC
América & Asia Products Inc

EXPANSION ANCHORS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



EA01
Drywall Anchor , 3 Sharps

Material: Zinc Alloy

Finish: Plain



EA02
Easy Drive Anchor , 1 sharp

Material: Zinc Alloy
Finish: Plain



EA03
Lag Screw Shields

Material: Zinc Alloy
Finish: Plain



EA04
Double / Single Expansion Anchors

Material: Zinc Alloy
Finish: Plain



EA05
Metal Frame Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA06
1 Pc Heavy Duty Shield Anchor With Plastic Cover

Material: Carbon Steel
Finish: ZP,YZP



EA07
Saw Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA08
Hollow Wall Anchors With C,O,L Type Hooks

Material: Carbon Steel
Finish: ZP,YZP



EA09
2 Pcs Ceiling Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA010
Drop In Anchor

Material: Carbon Steel ,Brass
Finish: ZP,YZP



EA011
Cut Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA012
Drop In Anchor With Collar

Material: Carbon Steel
Finish: ZP,YZP



EA013
Tie Wire Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA014
Express Steel Nails

Material: Carbon Steel
Finish: ZP,YZP



EA015
Slight Nylon Sleeve Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA016
Wedge Anchor

Material: Carbon Steel , Stainless steel
Finish: ZP,YZP



EA017
4 Pcs Heavy Duty Shield Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA018
3 Pcs Strengthen Shield Metal Anchor

Material: Carbon Steel
Finish: ZP,YZP

AMASPRO INC
América & Asia Products Inc

EXPANSION ANCHORS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



EA019
C & O Type 3 Shields Heavy Duty Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA020
Bolt Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA021
Ea021
Flange Nut Sleeve Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA022
3 Pcs Heavy Duty Shield Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA023
Heavy Duty Anchor With Nut, Washer And Thread, 2 Pcs Shield

Material: Carbon Steel
Finish: ZP,YZP



EA024
Sleeve Anchor With Hex Bolt

Material: Carbon Steel
Finish: ZP,YZP



EA025
Sleeve Anchor With Thread Rod

Material: Carbon Steel
Finish: ZP,YZP



EA026
Heavy Duty Shell Anchor With C Hook Bolt

Material: Carbon Steel
Finish: ZP,YZP



EA027
Special Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA028
Heavy Duty Anchor With Hex Bolt 2 Pcs Shield

Material: Carbon Steel
Finish: ZP,YZP



EA029
Hammer Drive Anchor

Material: Zinc Alloy

Finish: Plain



EA030
Nylon Hammer Fixing Anchor

Material : Nylon Plastic Carbon Steel

Finish: ZP,YZP



EA031
Spring Toggle Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA032
Gravity Toggle Anchor

Material: Carbon Steel
Finish: ZP,YZP



EA033
Toggle Anchor

Material: Carbon Steel

Finish: ZP,YZP



EA034
Antiskid Shark Fin Type Anchor

Material: Carbon Steel
Finish: ZP, YZP



EA035
Sanitary Metal Fitting

Material: Carbon Steel plastic/nylon
Finish: ZP, YZP



EA036
High Intensity Chemical Anchor Bolt

Material: Carbon Steel
Finish: ZP, YZP

AMASPRO INC
América & Asia Products Inc

PIPE CLAMPS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



PC01
Germany Type Hose Clamp

Size (inch)	Size (mm)	Bandwidth/mm
15/32"	8-12	9
5/8"	10-16	
1 1/4"	20-32	
2 3/8"	40-60	12
5 1/2"	120-140	
6 5/16"	140-160	

Material: W1, W2, W4



PC02
American Type Hose Clamp

Size (inch)	Size (mm)	Bandwidth/mm
1/2"	8-12	8
1"	16-25	
1-1/2"	21-38	12.7
2"	27-51	
3"	52-76	
4"	78-101	

Material: Mild steel, Zinc plated



PC03
High Performance Worm Drive Clamp

Size (inch)	Size (mm)	Bandwidth/mm
6/16"-1 1/16"	14-27	12.7 & 14.2 & 15.8
13/16"-1 1/2"	21-38	
2 1/16"-3"	52-76	
3 1/16"-4"	78-102	
4 5/8"-5 1/2"	117-140	
6 3/16"-7"	157-178	

Material: W1, W2, W4



PC04
Double Wire Hose Clamp

Size/mm	Wire Dia/mm	Screw/mm
11-14	1.5	M5X30
13-16		
26-30	2.2	M6X40
28-32		
63-68	2.5	M6X60
65-70		
108-115		M8X80
113-120		

Material: W1, W2, W4



PC05
British Type Hose Clamp, Welding Housing

Size/mm	Bandwidth/mm
10-16	9.7
19-29	
32-44	
64-76	11.7
80-100	
100-120	

Material: W1, W2, W4



PC06
British Type Hose Clamp, Green&Blue Housing

Size/mm	Bandwidth/mm
10-16	9.7
19-29	
32-44	
64-76	11.7
80-100	
100-120	

Material: W1, W2, W4



PC07
Robust Clamp with Hollow Trunnion

Size/mm	Thickness* Bandwidth/mm	Size/mm
17-28	0.6*18	M5*40
44-63	0.8*22	M6*55
64-67	0.8*22	M8*70
68-103	0.8*24	M8*70

Material: W1, W2, W4



PC08
Robust Clamp with Solid Trunnion

Size/mm	Thickness* Bandwidth (mm)	Screw
17-28	0.6*18	M5*40
44-63	0.8*22	M6*55
64-67	0.8*22	M8*70
68-103	0.8*24	M8*70

Material: W1, W2, W4



PC09
Double Ears Hose Clamp

Size/mm	Bandwidth/mm	Thickness/mm
9-11	7×0.9	0.9
13-15	7.5×1.0	1.0
20-23	9×1.3	1.3
28-31	9.5×1.4	1.4
37-40	10×1.6	1.6
43-46	10×1.6	1.6

Material: Carbon Steel, Stainless steel



PC10
Single Ear Hose Clamp, A Type

Size/mm	Bandwidth/mm	Thickness/mm
6.0-7.0	7	0.5
7.0-8.7		
8.8-10.5		
9.4-11.9		0.6
43.6-47		
45.3-48.5		
46.8-50		

Material: W1, W2, W4



PC11
Single Ear Hose Clamp, B Type

Size (mm)	Bandwidth/mm	Thickness/mm
6.0-7.0	7	0.5
7.0-8.7		
8.8-10.5		
9.4-11.9		0.6
43.6-47		
45.3-48.5		
46.8-50		

Material: Carbon Steel, Stainless steel



PC12
Spring Hose Clamp

Size/mm	Bandwidth/mm	Thickness/mm
6-8	6	0.6
9.5-13.5	8	0.8
15-15.5	15	1.0
16-21	12	1.0
23-25	12	1.2
26-36	15	1.5

Material: Mild steel, Zinc plated



PC13
Clamping Spring Nut
Material: Mild steel, Zinc plated



PC14
Clamp used in gas pipe
Material: Carbon Steel, Stainless steel

AMASPRO INC
América & Asia Products Inc

PIPE CLAMPS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



PC15
T-bolt Duty Clamps

Size/mm	Bandwidth/mm	Thickness/mm
37-40	19&25	0.6/0.7/0.8
43-49		
51-57		
102-110		
114-122		
171-179		
184-192		

Material: Stainless Steel



PC16
Quick Release Clamp

Size/mm	Bandwidth/mm	Thickness/mm
13-23	12.7 & 14.2	0.6
19-44		
26-51		
51-127		
51-152		
44-178		

Material: Stainless Steel



PC17
American Type Hose Clamp with 4pcs Heads can be cut
Width size:8mm
Material: Stainless steel



PC18
American Combined Type Clamp
Width size: 12.7mm, 14.2mm
Material: Stainless steel



PC19
F Type Clip-Ellipse Hole

Size/mm	Bandwidth/mm	Thickness/mm
6,8,10,12	12	1.0
14,16,18,20	14	1.2
24,26,28,30	16	1.2
37,42,50,60	20	1.2

Material: Mild steel, Zinc plated



PC20
U Type Clip-Ellipse Hole

Size/mm	Bandwidth/mm	Thickness/mm
16,18,20	14	1.2
22,25,28,33	16	1.2
37,43,47, 52,62	20	1.2

Material: Mild steel, Zinc plated



PC21
Pipe clamp with Welding Nut

Size/inch	Bandwidth/mm	Thickness/mm	Nut*screw
1/2"	16	0.8	M6*60
3/4"	16	0.8	M6*60
1"	16	0.8	M6*60
2"	22	0.8	M8*60
3"	24	0.8	M8*60
4"	24	0.8	M8*60

Material: Carbon Steel, Stainless steel



PC22
Pipe Clamp with Riveting Nut

Size/inch	Bandwidth/mm	Thickness/mm	Nut*screw
1/2"	16	0.8	M6*60
3/4"	16	0.8	M6*60
1"	16	0.8	M6*60
2"	22	0.8	M8*60
3"	24	0.8	M8*60
4"	24	0.8	M8*60

Material: Carbon Steel, Stainless steel



PC23
Light Clamp

Size/mm	Thickness* Bandwidth/mm	Screw
42,50,55,65,75, 85,95,110,120,140	28*0.8	M6*20
170,180,200, 250,315	28*1.2	M6*20

Material: Carbon Steel, Stainless steel



PC24
Double Ring Pipe Clamp

Size/mm	Width
10,12,14,18,20, 22,26,28,30,32	M6, M7

Material: Mild steel, zinc plated
Two side screws



PC25
Strengthen Chain Type Pipe Clamp

Out Diameter	Thickness* Bandwidth/mm	Screw	Rope
1/2"	1.6*25	M6*25	3/8",M110
1"	1.6*25	M6*25	3/8",M110
2 1/2"	2.3*25	M8*25	3/8",M110
5"	3.0*25	M10*40	1/2",M110
10"	4.0*25	M12*50	1/2",M110

Material: Carbon Steel, Stainless steel



PC26
Fixing Clamp with Rubber

Size/mm	Diameter of hole/mm	Bandwidth
4-40	4.3	9
5-25	5.3	12
8-30	6.4	15
15-60	8.4	20
20-150	10.5	25

Material: Mild steel, Zinc plated



PC27
Big Nail Pipe Clamp

Size/mm	Bandwidth/mm	Thickness/mm	Nut*screw
16-18	20*1.0	M6*20	80
21-24			
32-34			
39-41			
47-49			
54-60			
66-70			

Material: Mild steel, Zinc plated



PC28
U Type Pipe Clamp

Material: Mild steel, Zinc plated

AMASPRO INC
América & Asia Products Inc

PIPE CLAMPS and CHANNEL

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



PC29
Heavy Duty Pipe Clamp

Size/inch	Clamping	Nut Head
1/4"	11 - 15	M8
1 / 2"	20 - 24	M8
1 "	32 - 35	M8
2 "	56 - 60	M8
4 "	110 - 115	M10
6"	163 - 167	M12

Material: Mild steel, Zinc plated,Rubber



PC30
Quick Release Pipe Clamp

Size (mm)	Size/inch
15-19	3/8"
20-25	1/2"
26-30	3/4"
32-37	1"
40-45	1 1/4"
48-53	1 1/2"
60-64	2"

Material: Mild steel, Zinc plated,Rubber



PC31
Muffler Clamp(U Type)

Hole Dia/mm	Height/mm	Screw thread/mm	Thread Dia/mm
29	97	50	8
32	75	30	
35.5	95	40	
36.5	110	40	
47	128	45	10
53	150	45	

Material: Carbon Steel, Stainless steel



PC32
P Type Pipe Clamp

Size (mm)	Out Dia/mm	Thinkness/mm	Screw
1/2"	21.7	1.4	M6*25
3/4"	27.2	1.4	M6*25
1"	34	2	M6*25
2"	60.5	2.6	M8*40
3"	89.1	2.6	M8*40
4"	114.3	3	M10*40

Material: Carbon Steel, Stainless steel



PC33

Double Wires Hose Clamp with Handle

Size/mm	Wire Dia/mm	Screw/mm
11-14	1.5	M5X30
13-16		
26-30	2.2	M6X40
28-32		
63-68	2.5	M6X60
65-70		
108-115		M8X80
113-120		

Material: Carbon Steel, Stainless steel



PC34

Germany Type Hose Clamp with Handle

Size (inch)	Size (mm)	Bandwidth/mm
15/32	8-12	9
5/8	10-16	
1 1/4	20-32	
2 3/8	40-60	12
5 1/2	120-140	
6 5/16	140-160	

Material: W1, W2, W4



PC35

20 pcs American Type Hose Clamp
11-18mm
16-32mm
19-27mm
21-38mm
Material: W1, zinc plated
Double blister packing



PC36

10 pcs American Type Hose Clamp with Handle
5*13-23mm
5*14-27mm
Material: W1, zinc plated
Single bilster packing with card



PC37

4 pcs American Type Hose Clamp
1 1/2"-2 1/4"
2 9/16"-3 1/2"
1 13/16"-2 3/4"
3 9/16"-4 1/2"
Material: W1, zinc plated
Single bilster packing with card



PC38

American Type Hose Clamp with 8 pcs Heads
Material: W4, SS304/SS316
Single bilster packing with card



CHA01

U Type Channel
Width*Height
30*30
40*40
40*40
50*50
Material: Mild steel, Pre-galv.Sheet
Length:1m,2m,3m
Finish: Zinc Plated



CHA02

C Type Channel
Width*Height
27*18
38*40
40*60

Material: Mild steel, Pre-galv.Sheet
Length:1m,2m,3m
Finish: Zinc Plated



CHA03

L Type Channel
Width*Height
30*30
30*30
40*40 50*50
40*40 50*50

Material: Mild steel, Pre-galv.Sheet
Length:1m,2m,3m
Finish: Zinc Plated

AMASPRO INC
América & Asia Products Inc

TRIANGLE SHELF BRACKET

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



TSB 01
Heavy Duty Shelf Bracket

DIMENSION		THICKNESS
4×6"	100×150mm	4.0mm
5×8"	125×200mm	4.0mm
6×10"	150×250mm	4.0mm
8×12"	200×300mm	4.0mm
10×16"	250×400mm	4.0mm
11×8"	275×200mm	4.0mm
13×20"	330×500mm	4.0mm
18×16"	450×400mm	4.0mm

Finish: white/brown/grey



TSB 02
Small Type Heavy Duty Shelf Bracket

DIMENSION		THICKNESS
4"×6"	100×150mm	2.5mm
5"×8"	125×200mm	2.5mm
6"×10"	150×250mm	2.5mm
8"×12"	200×300mm	2.5mm

Finish: White/Black



TSB 03
Strengthen Triangle Bracket

DIMENSION		THICKNESS
10"×12"	250×300mm	2.5-4.0mm
12"×16"	300×400mm	2.5-4.0mm
12"×20"	300×500mm	2.5-4.0mm

Finish: white/brown/grey



TSB 04
London Bracket

DIMENSION		THICKNESS
3"×4"	75×100mm	0.7mm
4"×5"	100×125 mm	0.7mm
5"×6"	125×150mm	0.7mm
6"×8"	150×200mm	0.8mm
7"×9"	175×225mm	0.8mm
8"×10"	200×250mm	0.9mm
10"×12"	250×300mm	1.0mm
12"×14"	300×350mm	1.0mm
14"×18"	350×400mm	1.0mm
16"×18"	400×450mm	1.1mm

Finish: White,Black, Brown, Grey, ZP



TSB 05
Shelf Bracket with Double Round Support

DIMENSION		THICKNESS
7.5"×7.5"	185×185mm	4.0mm
8"×8"	230×230mm	4.0mm

Finish: White/Black,



TSB 06
Decorative Shelf Bracket

DIMENSION		THICKNESS
4"×4"	100×100mm	2.5mm
4.5"×4.5"	115×115mm	2.5mm
5"×5"	130×130mm	2.5mm
6"×6"	150×150mm	2.5mm
7"×7"	180×180mm	2.5mm
8"×8"	200×200mm	2.5mm
9"×8"	230×180mm	2.5mm
10"×10"	250×250mm	2.5mm
11"×6"	280×150mm	2.5mm

Finish: White/Brown



TSB 07
Scroll Bracket

DIMENSION		THICKNESS
6"×6"	150×150mm	3.0mm
8"×8"	200×200mm	3.0mm

Finish: White/Brown/Grey



TSB 08
Folding Shelf Bracket

DIMENSION		THICKNESS
8"×8"	200×200mm	1.8mm
10"×10"	250×250mm	2.0mm
12"×12"	300×300mm	2.0mm
16"×16"	400×400mm	3

Finish: White/Brown/Black



TSB 09
Matel Shelf Bracket

DIMENSION		THICKNESS
6"×6"	150×150mm	1.0mm
8"×8"	200×200mm	1.0mm
10"×10"	250×250mm	1.0mm

Finish: White/Brown/Grey



TSB 10
Wall Bracket

DIMENSION		THICKNESS
3"×5"	80×125mm	0.8mm
4"×6"	100×150mm	0.8mm
5.5"×8"	140×200mm	1.0mm
6"×10"	160×250mm	1.0mm
8"×12"	200×300mm	1.2mm
10"×14"	260×350mm	1.2mm

Finish: White/Brown/Grey



TSB 11
Bracket Light Stayed

DIMENSION		THICKNESS
11"×9.5"	280×240mm	2.0mm

Finish: White/Brown/Grey



TSB 12
Light Style Bracket

DIMENSION		THICKNESS
5"×6"	125×150mm	1.8mm
6"×8"	150×200mm	1.8mm
8"×10"	200×250mm	1.8mm
10"×12"	250×300mm	1.8mm
12"×14"	300×350mm	1.8mm

Finish: White,Black,Brown,Grey



TSB 13
Bracket With Plastic Cover

DIMENSION		THICKNESS
3"×5"	78×118mm	1.0mm
4.5"×7"	115×180mm	1.0mm
5.7"×9.5"	145×240mm	1.0mm

Finish: White/Brown/Grey



TSB 14
Steel Shelf Bracket


DIMENSION		THICKNESS
10"×8"	250×200mm	4.0mm
12"×10"	300×250mm	4.0mm
12"×12"	300×300mm	4.0mm
14"×12"	350×300mm	4.0mm
16"×14"	400×350mm	4.0mm
16"×20"	400×500mm	4.0mm
20"×20"	500×500mm	4.0mm
12"×20"	300×500mm	4.0mm
12"×24"	300×600mm	4.0mm

Finish: White/Brown/ZP

AMASPRO INC
América & Asia Products Inc

TRIANGLE SHELF BRACKET

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



TSB 15
Scroll Bracket

DIMENSION		THICKNESS
5"×8"	125×200mm	2.0mm
6"×8"	150×250mm	2.0mm
7"×12"	175×300mm	2.0mm

Finish: White/Brown/Grey



TSB 16
Scroll Bracket

DIMENSION		THICKNESS
4"×6"	100×150mm	4.0mm
5"×8"	125×200mm	4.0mm
5"×10"	125×250mm	4.0mm

Finish: White/Black



TSB 17
Decorative Shelf Bracket

DIMENSION		THICKNESS
3.2"×4.4"	83×112mm	4.0mm
4.2"×6"	108×151mm	4.0mm
4.3"×5.5"	110×140mm	4.0mm
5.2"×8"	134×200mm	4.0mm
5.5"×7.6"	140×195mm	4.0mm
7.5"×9.5"	190×240mm	4.0mm
9.5"×11.5"	240×290mm	4.0mm

Finish: White/Brown/Grey



TSB 18
Scroll Bracket

DIMENSION		THICKNESS
6"×6"	150×150mm	3.0mm
8"×8"	200×200mm	3.0mm

Finish: White/Brown/Grey



TSB 19
Floding Bracket With Drop Leave Support

DIMENSION		THICKNESS
15.7"×6.8"	400×175mm	1.4mm

Finish: White/Brown



TSB 20
Shelf Bracket

DIMENSION		THICKNESS
3.5"×5.5"	90×140mm	2.5mm

Finish: White/Brown



TSB 21
Shelf Bracket With Hook

DIMENSION		THICKNESS
6.8"×9.6"	175×245mm	3.5mm
10"×12"	250×300mm	3.5mm
11"×9.5"	280×240mm	2.0mm

Finish: White/Brown/Grey



TSB 22
Scroll Bracket

DIMENSION		THICKNESS
3.5"×5.5"	90×140mm	2.5mm
6"×8"	150×200mm	2.5mm

Finish: White/Brown/Grey



TSB 23
Scroll Bracket With Round Suppond

DIMENSION		THICKNESS
6"×6"	150×150mm	2.8mm
7.0"×7.0"	180×180mm	3.0mm
7.3"×7.3"	185×185mm	2.8mm
8.6"×8.6"	220×220mm	2.8mm

Finish: White/Brown/Grey



TSB 24
Upright Angle Bracket

DIMENSION		THICKNESS
6.8"×9.6"	300×300mm	4.0mm
10"×12"	300×400mm	4.0mm
11"×9.5"	300×500mm	4.0mm

Finish: White



TSB 25
Folding Shelf Bracket

DIMENSION		THICKNESS
8"×4"	200×100mm	1.5mm
12"×5"	300×130mm	1.5mm


Finish: White/Black



TSB 26
Angle Bracket

DIMENSION		THICKNESS
10"×8"	250×195mm	10mm

Finish: ZP, YZP



TSB 27
Book Shelf Bracket

DIMENSION		THICKNESS
7.7"×8"	194×200mm	1.8mm

Finish: White/Brown/Grey



TSB 28
Book Shelf Bracket


DIMENSION		THICKNESS
7.7"×8"	194×200mm	1.8mm

Finish: White/Brown/Grey

AMASPRO INC
América & Asia Products Inc

STEEL CORNER, DOOR HINGS


WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



CN01
Reinforced Square Corner

DIMENSATION			
L	H	B	THICKNESS
105	105	90	2.0/2.5
90	90	65	2.0/2.5
70	70	55	2.0/2.5
90	60	60	2.0/2.5
83	62	40	2.0


Material: Pre-galv, Steel Sheet
Finish: Zinc Plated



CN02
Renforced Upright Corner

DIMENSATION			
L	H	B	THICKNESS
80	80	40	2.0
70	70	40	2.0
60	60	40	2.0


Material: Pre-galv, Steel Sheet
Finish: Zinc Plated



CN03
Reinforced Square Corner

DIMENSATION			
L	H	B	THICKNESS
25	25	15	2.0
30	30	15	2.0
40	40	15	2.0
50	50	15	2.0
60	60	20	2.0
80	80	20	2.0
100	100	20	2.0


Material: Pre-galv, Steel Sheet
Finish: Zinc Plated



CN04
Intensified Steel Corner

DIMENSATION			
L	H	B	THICKNESS
50	50	40	2.5


Material: Pre-galv, Steel Sheet
Finish: Zinc Plated



CN05
Heavy Duty Narrow Square

DIMENSATION			
L	H	B	THICKNESS
80	80	16	3.5


Material : Carbon steel
Finish: Powder Spraied



CN06
L Flat Angle

DIMENSATION			
L	H	B	THICKNESS
30	30	10	1.5
40	40	15	1.5
50	50	15	2.0
60	60	15	2.0
70	70	18	2.0
75	75	20	2.0
100	100	15	2.0
100	100	20	2


Material: Pre-galv, Steel Sheet
Finish: Zinc Plated



DH01
Square Door Hings

DIMENSATION		
A	B	THICKNESS
156	30	2.5


Material : Iron
Finish: YZP ,WZP



DH02
Round Type Door Hings

DIMENSATION		
A	B	THICKNESS
135	35	2


Material : Iron
Finish: YZP ,WZP



DH03
Door Hings

DIMENSATION		
A	B	THICKNESS
100	32	1.5

Material : Iron
Finish: YZP ,WZP



DH04
Pad Bolt

DIMENSATION		
A	B	THICKNESS
100	44	1.5


Material : Iron
Finish: YZP ,WZP



DH05
Square Door Hings

DIMENSATION		
A	B	THICKNESS
80	80	1.5


Material : Iron
Finish: YZP ,WZP



DH06
Square Door Hings

DIMENSATION		
A	B	THICKNESS
100	60	1


Material : Iron
Finish: YZP ,WZP , Gold Plated



DH07
Single Door Hings

DIMENSATION		
A	B	THICKNESS
130	90	2.5

Material : SS 201,304



DH08
Narrow Square Corner

DIMENSATION		
		THICKNESS
60	15	2.0
80	15	2.0
100	15	2.0

Material: Pre-galv, Steel Sheet
Finish: Zinc Plated

AMASPRO INC
América & Asia Products Inc

METAL CABLE BOX and COVER

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



HB01
Handy Steel Box
Size : 4"*2"*1-1/2"
4"*2"*1-7/8"
4"*2"*2-1/8" ...
Thickness :0.8-1.6mm
Material : Galvanized steel




HB02
Junction Box
Size : 4"*2"*1-7/8"

Thickness :0.8-1.6mm
Material : Galvanized steel



HB03
Octagonal Box
Size : 4"*4"*1-1/2"
4"*4"*2-1/8" ...
Thickness :0.8-1.6mm
Material : Galvanized steel



HB04
Square Box With Wraparound Bracket
And Raised Earth Grounding
Size : 4"*4"*2-1/8"

Thickness :0.8-1.6mm
Material : Galvanized steel



HB05
Square Steel Box
Size : 4"*4"1-1/2"
4"*4"*2-1/8"
Thickness :0.8-1.6mm
Material : Galvanized steel



HB06
Rectangle Steel Box With Flush Ears
Size : 3"*2"*1-1/2"
Size : 3"*2"*2"

Thickness :0.8-1.6mm
Material : Galvanized steel



HB07
Square Raised One Gang Device Ring
Size : 4"*4"
Thickness :0.8-1.6mm
Material : Galvanized steel



HB08
Steel Handy Cover For Toggle Switch
Size : 4"*2"
Thickness :0.8-1.6mm
Material : Galvanized steel



HB09
Flat Blank Square Cover
Size : 4"*4"
Thickness :0.8-1.6mm
Material : Galvanized steel



HB10
Flat Octagonal Cover
Size : 4"*4"
Thickness :0.8-1.6mm
Material : Galvanized steel



Iron Bolt



Cash Box



Cash Box

AMASPRO INC
América & Asia Products Inc

METAL and PLASTIC CASTOR

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



WC01
Metal and Plastic Castor
ø
25



WC02
Metal And Plastic Roller
ø
30



WC03
Heavy Duty Metal And Plastic Roller
ø
40



WC04
Metal And Plastic Castor
ø
40



WC05
Mini Roller Castor Wheel
ø
30



WC06
Roller Castor Wheel With Brake
ø
40



WC07
Wheel Castor
ø
30
40
50

PP Material



WC08
Wheel Castor (Zinc Alloy)
ø
50



WC09
Wheel Castor
ø
30
40
50



WC10
Wheel Castor With Brake
ø
50



WC011
Wheel Castor (Zinc Alloy)
ø
50



WC012
Wheel Castor
ø
50



WC013
Wheel Castor With
Brake (Zinc Alloy)
ø
50



TX 09

AMASPRO INC
América & Asia Products Inc

HAND TOOLS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



HT 01
Expanding Bolt Gun
For Hollow Wall Anchor
Packing: Blister Card or Color box available



HT 02
72 PCS Hollow Anchor and Tool Set
Remarks:
different color of gun handle available
141 pcs Hallow Wall Anchor package set available



HT 03
Expanding Bolt Gun
For Hollow Wall Anchor
Packing: Blister Card or Color box available



HT 04
Iron Body 4-14mm Staple Gun Tacker
For fine wire staples 4-14mm
Normal staple size:5/16"(8mm);1/4" (6mm)



HT 05
Iron Body 3-Way Staples Gun Tacker
With Adjustment Screw
Agrafes staple,agrafes round staple,clous nails
plastic -blowing box package
blister card packing available
transparent plastic box packing available



HT 06
Plastic Punch Plier
Blister card /hanging card/color box



HT 07
Chook Eye Plier With Buttons
Major used in clothes,belt and shoes
blister card/hanging card/color box



HT 08
3-Function Metal Punch Plier
Major for punching holes on belt,trousers,shoes etc…
double blister /blister card /individual color box
material: iron body



HT 09
Strength Punch Plier
Major for punching holes on belt,trousers,shoes etc…
double blister or blister card packing are available
with plastic bag packing is availaber



HT 10
Heavy Punch Pliers
Major for punching holes on belt,trousers,shoes etc…
double blister or blister card packing are available
with plastic bag packing is availaber



HT 11
Floor Scissors
Scotia Trim Cutter
marked 270°ruling
half blister card/ small box
Material:Alu-Alloy Body,



HT 12
Spark Plug Socket Wrench



HT 13
6 PCS Spark Plug
Socket Wrench



HT 14
Magnetic Hex Socket



HT 15
Three Using Spark
Plug Socket Wrench

AMASPRO INC
América & Asia Products Inc

BLIND RIVET and HAND RIVETER

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS

BR 01



BR 02



BR 03



BR 04



BR 05



BR 06





KWD-RG001

Aluminium Riveter with 50pcs rivets
rivets durable range:
3/32"-2.4mm
1/8"-3.2mm
5/32"-4.0mm
3/16"-4.8mm



KWD-RG002

9.5" Aluminium Riveter
rivets durable range:
Φ2.4, Φ3.2, Φ4.0. Φ4.8,



KWD-RG003

Folding Hand Riveter 32"
rivets durable range:
Φ2.4, Φ3.2, Φ4.0. Φ4.8, Φ6.0, Φ6.4



KWD-RG004

Universal Aluminium Alloy Hand Riveter
Rivets durable range:
Φ2.4, Φ3.2, Φ4.0. Φ4.8,
360℃ movable



KWD-RG005

17"Strength Hand Riveter
rivets durable range:
Φ2.4, Φ3.2, Φ4.0. Φ4.8,
supplied with 4 nozzles



KWD-RG006

21" Two Spout Heavy Hand Riveter
rivets durable range:
Φ3.2, Φ4.0. Φ4.8, Φ6.0, Φ6.4
supplied with 5 nozzles



KWD-RG007

18"Strength Hand Riveter
rivets durable range:
Φ2.4, Φ3.2, Φ4.0. Φ4.8,
supplied with 4 nozzles



KWD-RG008

18" Two Spout Heavy Hand Riveter
rivets durable range:
Φ3.2, Φ4.0. Φ4.8,
supplied with 3 nozzles



KWD-RG009

10.5" Hand Riveter
rivets durable range:
Φ2.4, Φ3.2, Φ4.0. Φ4.8,
supplied with 4 nozzles



KWD-RG10

Single Iron Hand Riveter
rivets durable range:
Φ2.4 -3/32", Φ3.2 - 1/8",
Φ4.0 - 5/32", Φ4.8 - 3/16",
supplied with 4 nozzles

AMASPRO INC

América & Asia Products Inc

NYLON and PLASTIC PRODUCTS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



P&N 01

Nylon Cable ties

dimension	
width	Length(inch)
2.5mm	2.4,3.2,4.0,4.7,6.0,6.3,8.0
3.6mm	5.5,6.0,7.1,8.0,10,11,12,14.6
4.8mm	4.7,6.3,7.1,7.5,8,10,11,12,14,15,16,16.9,17.7,19.7
7.2mm	6.0,8.0,10,11,12,14,14.6,15,16,18,20,20.9,21.6
9.0mm	16,18,20,21.6,23.6,25.6,28.3,31.5,35.5,29.4,43.4,4,7.2

Material:Nylon 66,
Color:Natrual,hite,balck and other colors available



P&N 02

Circle Cable Clips With Nail
Size(mm): 4 5 6 7.....40

Material: PE or PP, Steel Nail



P&N 03

Square Cable Clips With Nail
Size(mm): 4 5 6 7.....40

Material: PE or PP,Steel Nail



P&N 04

Nylon Nail Anchor With Nail

PP new material



P&N 05

Nylon Easier Drive Anchor

Material: Nylon, PE



P&N 06

Nylon and Plastic Wall Plug

Material: Nylon, PE



P&N 07

Butterfly Wall Plug

Material: Nylon, PE



P&N 08

PE Expansion Anchor

PE material
Color: different color available



P&N 09

Wall Plug

Material: Nylon, PE



P&N 10

Wall Plug

Material: Nylon, PE



P&N 11

Nylon and
Plastic
Wall Plug

Material:
Nylon, PE



P&N 12

Wall Plug

Material: Nylon, PE



P&N 13

Insvlation Plug
With Plastic Nail

Material: Nylon, PE



P&N 14

Nylon Wall Plug
dimension:
D×L(mm)
5×25 10×38
6×38 10×50
7×38 10×65
7×50
8×38
8×50



P&N 15

Nylon Bucket
with Cover
and Handle



P&N 16

Nylon Bucket
with Cover
and Handle



P&N 16

Nylon Bucket
Screws inside
the bucket



Cable Clamp



Steel Shackle



Beam Clamp

AMASPRO INC
América & Asia Products Inc

SCREWDRIVER and BITS,HEX KEY

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



TT01

Magnetic Holder

1/4"(6.35mm)
Length=60mm



TT02

Magnetic Hex Socket
HF x L

5x42,50	10x45,50
5.5x42	11x50,12x50
6x42,50	1/4"x42,50
8x42,50	5/16"x42,50
7x50	3/8"x42,50
9x42,50	



PT03

Magnetic Hloder
1/4"(6.35)
Length: 50 60 75 100 150mm



PT04

Square Screwdriver Bits



PT05

Slotted Screwdriver Bits



PT06

Phillips Screwdriver Bits



PT07

Pozidrive Screwdriver Bits



PT08




BS09



HK01

Torx Screwdriver
L-Type Key



HK02

Cross Screwdriver
L-TYPE KEY



HK03

L-TYPE HEX KEY

Size: 5x50x80mm

Coat: Nick Plated



HK04

Z-TYPE HEX KEY




HK05

Hex Key
Size: 4x100x100mm

Coat: Nick Plated




HK06



HK07



HK08



HK09



HK10



HK11

L-TYPE KEY



HK12

Ball Point
Hex Key



TX 10



TX 11



TX 12

AMASPRO INC

América & Asia Products Inc

SPECILITITY PARTS
CARBON STEEL AND STAINLESS PRODUCTS

WE WORK WHAT LISTED ON THIS PAGE;
ALL ITEMS WORKABLE AMERICAN and METRIC SYSTEMS



FB01

Mushroom Head Clamp

Material: Q235

Finish: White Zinc Plated



FB02

Special Bolt



FB03

Aluminum Tube



FB04

Hex Big Flange Head Wood Screws

Material: Q235
Finish: White Zinc Plated



FB05

Hex Head Wood Screw Type17 Sharp 3 Cuts on the Thread

Material: Q235
Finish: White Zinc Plated



FB06



FB07



FB08



FB09

STAINLESS STEEL PRODUCTS



FB10

Hex Head Bolt



FB11


Hex Socket Pan Head Bolt



FB12

Double Threaded Bolt

stainless:201, 304,316



FB13

Washer

stainless:201, 304,316



FB14

Clamp Rings and Washers

stainless:201, 304,316



FB015

Din912, Hex Socket Bolt



FB16

Scare Three Piece Type Anchor

stainless:201,304, 316



FB17

Heavy Duty Sleeve Anchor

stainless:201, 304,316



FB18

Strength Weldge Anchor

stainless:201, 304,316



FB19

DIN 913 Hex Socket Set Screw



FB20

Round head type U metallic drive screws

Function: use for Metal Brand Card
Material:SS304,316 Brass



FB21



TX 13

Directory

Office in Panama

People to Contact:	*Emails:*
Marco González-Gerente General	sales@amaspro.com – Gerencia General
César Rodríguez-Ventas Int.	sales1@amaspro.com – Ventas Int
Martin Castillero-Op. y Logistica	sales3@amaspro.com – Op. y Logistica
Elida Vega-Admon-Finanzas	contac1@amaspro.com – Admon-Finanzas
Dally Siles -Asistente Admon	sales2@amaspro.com – Asist.

Contact us Headquarters

•(507) 277-4083 •(507) 277-4183 •(507) 277-4153
•(507) 277-4253 •(507) 277-4283 •(507) 392-3640 •(507) 392-7271

Marketing Management in Costa Rica

People to Contact:	*Emails:*
Marco González-Gerente General	amasprocr@gmail.com – Gerencia
Yorleny Leiton -Ventas Int.	amasprocr1@gmail.com> – Ventas Int

Contact Offices Costa Rica

•(506) 2101-4485 •(506) 8674-2000 (celular) •(506) 8530-5252 (celular)