AMASPRO INC

WELDING MACHINE

America & Asia Products Inc

America & Asia Products Inc

AMASPRO INC

MMA key features

Choose our model from mma-160 180 200 amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 160/180/200
Size:200*100*90mm
weight:2.8/3.3kgs
digtal display/belt strap



Soldadora MMA lift tig welding quality

This digitalization MMA machines offer the best,choice with lift tig,mini multi-function with 6 function widely big hot sell in south american,with hot start anti stick ,arc force ,VRD ,and the electrode size selection ,and lift tig functional,with LCD big display control,control quality super well

In brief:

- Special portable mma
- Varied display control
- easy for arc starting
- Less splash
- with multi-functional with lift tig

MMA-200 tig

AMASPRO INC



MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 200/250/300
Size:220*90*13mm
weight:2.5/3.5kgs
digtal display/belt strap



Model	MMA-160 tig	MMA-180 tig	MMA-200 tig
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-160	20-180	20-200
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

AMASPRO INC

MMA-300

Soldadora MMA welding quality

This new design mma is very hot sell model in russia and suoth america, high quatity and hot start anti-stick, arc force, with full display digital control, igbt advanced technology

In brief:

- light
- Varied display control
- easy for arc starting
- hot starting
- mini body
- anti sticker



SUPTEC MMA key features

Choose our model from mma-160 180 200amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 160/180/200
P.Size:280*180*230mm
weight:3.1/3.4kgs
digtal display/belt strap



Model	MMA-200	MMA-250	MMA-300
Rated Input Capacity(KVA)	7.1	9.5	11.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

AMASPRO INC

IGBT-250S

Soldadora MMA welding quality

Advanced inverter 1 pcb technology high effiency low consumption
engery and more attractive design
with dual bi-voltage bigly sell to south and north america

In brief:

- light
- Varied display control
- easy for arc starting
- Less splash
- mini body
- easy to operate



SUPTEC MMA key features

Choose our model from mma-160 180 200amp output ,power from 1ph main network ,provide the welding power to meet y need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 160/180/200
P.Size:280*180*230mm
weight:3.1/3.4kgs
digtal display/belt strap



Model	IGBT-200S	IGBT-250S	IGBT-300S
Rated Input Capacity(KVA)	7.1	9.5	11.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

AMASPRO INC

MMA-500S

Soldadora MMA welding quality

This is cast iron mma big body model big big□its cheap and very competitive can make 220v or 110/220v with very super competitive price ,and bigly well to thiland ,continuous welding stopless 3.2mm,easy way, 60% duty cycle, and less splash,easy for arc force,automatic over-voltage and over-current protection, low voltage 145v-165v can arc welding very suitable and stronge welding working in low unstabel voltage counries

In brief:

- compact and stable
- Varied display control
- complete accessories
- with hot start ,anti stick ,arc force



MMA key features

Choose our model from mma-500 600 800amp output, power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force hot start anti stick with super well work

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 200/250/300
Size:290*160*220mm
weight:3.5/4.0kgs
digtal display/belt strap



Model	MMA-500S	MMA-600S	MMA-800S
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-500	20-600	20-800
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

Soldadora MMA welding quality

This new design mma is beauftiful deisn, unique style make all welcome by customers, most high quality ocntrol, its ours single winner in the world for top sell,.igbt advanced inverter and 1pcb trchnology,high effiency,less splash,resistance two voltage fluctuation

MMA-200T

In brief:

- light
- Varied display control
- easy for arc starting
- hot starting
- mini body
- anti sticker

AMASPRO INC



MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 200/250/300
P.Size:310*210*245mm
weight:3.5/4.1kgs
handle/digtal display/belt strap



Model	MMA-160T	MMA-180T	MMA-200T
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-160	20-180	20-200
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

Soldadora jasic MMA welding quality 110v 220v

Best choice model mma with 200 250 300 amp power with arc force anti- stick , with 60 % duty cycle and big power welcome by phiphine and thiland customers, and big sell for south american

In brief:

- arc thrust
- hot starting
- anti stick

AMASPRO INC

MMA-200G



MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 200/250/300
P.Size:320*160*220mm
weight:3.5/4.0kgs
digtal display/belt strap



Model	MMA-200G	MMA-250G	MMA-300G
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

Soldadora MMA welding quality

Single winner of welding mma -200 p lead to all over the worlds with high quality, professional service, with fast shpment make customer highly comments on, the machine easy for arc starting and over current protection

In brief:

MMA-250J

- new designment
- compact and stable
- widly used for all kinds of electrode
- digitalization control

AMASPRO INC



MMA key features

Choose our model from mma-200 250 300amp output, power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 200/250/300
Size:399*195*335mm
weight:4.7/5.8kgs
europe style hot sell model



Model	MMA-200J	MMA-250J	MMA-300J
Rated Input Capacity(KVA)	7.1	9.5	11.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

MIG/MAG productivity from SUPTEC with lift tig welding power source

Suptec migtigmma-250 top single winner mig-200 250 300 make life ways and confortable way, with inverter 3 in 1 (mig tig mma) welding machines 5kgs mig wire ,GAS AND GASS BOTH with POLITY CONNECTOR CONTROL SOILD WIRE AND FLUX WIRE feeder, with selt-locking functional, automatic opera, intergated of wire feeder

AMASPRO INC

MIGTIGMMA-250



MMA key features

Mig equipment only require one power cable and the earth return lead from the power source Each unit is equipped with completed accessaries ,with useful for lift tig functiona for choosable with change the polity. additinal features include: burn back time control wire cntrol swtich Gas test Post Gas timer compatiable with mma ,mig mag welding guns ,as tig torch gun for choosable.

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas &gasless 5kgs
Model: 200/220/250
Size:520*250*370mm
weight:11.5/13.5kgs
three in one multiprocessor
hot style/with 15AK mig torch/electrode holder/clamp
note:tig torch extra pay



Model	MIGTIGMMA-200	MIGTIGMMA-220	MIGTIGMMA-250
Rated Input Capacity(KVA)	6.1	6.6	7.2
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-200	40-220	40-250
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

AMASPRO INC

SYNERGIC digita control for the finest TIG AC DC PULSE

Its what you except from suptec tig welding equipment, accurate and refined ignition, plus the necessary control power and duty to complete your welding task idea dc tig welding solution for installation, repair and maintenance applications, 200,250and300 models suit high quality work and their light weight and compacty size real bonus for professionals on the move around site

SYN WSME 200 pulse

In brief:

- clear paremeter display
- pre and post gas timer
- pulse welding option
- generator power compatible
- torch switch latching



MMA key features

Tig key features Suptec tig is a dual-process machine, providing an impressive Dc tig and MMA welding experience choose from a four model range including 160/200/250, models ,high 60% duty cycle and light weight combine real performance advantages ,plus exceptional control in low current ignition means refind tig welding quality for precise applications.

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
Model: 200/250/300
Size:520*270*390mm
weight:14/15kgs
with accessories:tig torch/cable/electrode holder/ clamp with mask/brush/hammer/manual user
Note: normal with qq-150 tig torch



Model	SYN WSME 160 pulse	SYN WSME 200 pulse	SYN WSME 250 pulse
Rated Input Capacity(KVA)	5.3	7.1	9.5
Insulation	IP21	IP21	IP21S
Max No-load Voltage(V)	60	62	62
Current Range(A)	10-180	10-200	10-250
Rated Duty Cycle(%)	60	60	60
Rated Work Voltage	26.4V/MMA	28V/MMA	30V/MMA

SYNGERNIC MIG/MAG productivity from SUPTEC welding power source

MIG synergic series full numerical control display intelligent machine, unified welder electronic chip control machine full numerical control with 2t/4t functional vrd/hot start/anti-stick /arc force 5kgs mig wire feeder gas and gasless both wt LIFT TIG intergrated type with tig lift function 2years gurantee quality one stop line service, can be chosen, gas&gasless, automatic control and adjust current

AMASPRO INC

SYN MIG-200



MMA key features

"This SYNERGIC LCD MIG machine can keep the syn settings after you have switched the syn off and then you can make fine adjustments to the settings which are on the LCD display. with 15AK Mig torch with 3m cable, 2. Electrode holder with 1.2m cable, 3. Earth clamp with 1.8m cable. 4. Protect mask , brush 5. Manual book"

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas &gasless 5kgs
Model: 160/180/200
Size:590*320*420mm
weight:11.5/14kgs
hot style/with 15AK mig torch/electrode holder/clamp
note:tig torch extra pay/can make display digital



Model	SYN MIG-160	SYN MIG-180	SYN MIG-200
Rated Input Capacity(KVA)	5.1	6.6	7.2
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-160	40-180	40-200
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

MIG/MAG productivity from SUPTEC with lift tig welding power sourc

AMASPRO INC

Migtigmma -250 top single winner mig 200 250 300 make life ways and confortable way, with inverter 3 in 1 (mig tig mma) welding machines 5kgs mig wirw, GAS AND GASS BOTH with POLITY CONNECTOR CONTROL SOILD WIRE AND FLUX WIRE feeder, with selt - locking functional, automatic opera, intergate of wire feeder



MMA key features

Mig equipment only require one power cable and the earth return lead from the power source Each unit is equipped with completed accessaries ,with useful for lift tig functiona for choosable with change the polity. additinal features include: burn back time control wit wire swtich Gas test Post Gas timer compatiable with mma ,mig mag welding guns ,as tig torch gun for choosable.

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas &gasless 5kgs
Model: 200/220/250
Size:550*300*390mm
weight:11.5/13.5kgs
three in one multiprocessor
hot style/with 15AK mig torch/electrode holder/clamp
note:tig torch extra pay



Model	MIGMMA-160J	MIGMMA-200J	MIGMMA-250J
Rated Input Capacity(KVA)	5.3	7.1	9.5
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-160	40-200	40-250
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

SYN MIG-135gas/ gasless with lift tig

Professional GAS/GASLESS SYNERGIC DIGITALIZATION MIG/MMA-135 LIFT welding MIG-135

MIG SYN series full numerical control intelligent machine, unified welder electronic chip control machine full numerical control MIG/MMA /Lift-TIG With LED Digital Display with roll spon 1KG intergrated type with tig lift function 2years gurantee quality one stop line service, can be

AMASPRO INC



MMA key features

"This SYNERGIC gas/gasless MIG machine can keep the syn settings after you have switched the syn off and then you can make fine adjustments to the settings which are on the LED display. with 15AK Mig torch with 2m cable, 2. Electrode holder with 1.0m cable 3. Earth clamp with 1.5m cable.4. Protect mask, brush 5. Manual book"

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gasless 1kgs
Model: 130 /135
Size: 43*22*32cm
weight:6.3/7.3kgs
hot style/with 15AK mig torch/electrode holder/clamp
note:tig torch extra pay/can make display digital



Model	SYN MIG-130-gasless	SYN MIG-135-gasless
Rated Input Capacity(KVA)	6.1	6.6
No-Load Voltage(V)	16-24	16-24.5
Current Range(A)	40-130	40-135
Rated Duty Cycle(%)	40	40
Welding Wire(mm)	0.6-1.0	0.6-1.0
insulation class	H	H

SYN MIG
135-gasless

Professional GASLESS SYNERGIC DIGITALIZATION MIG/MMA-135 GASLESS welding MIG-135

MIG SYN series full numerical control intelligent machine, unified welder electronic chip control machine full numerical control MIG/MMA /Lift-TIG With LED Digital Display with roll spon 1KG intergrated type with tig lift function 2years gurantee quality one stop line service, can be

AMASPRO INC



MMA key features

"This SYNERGIC gasless MIG machine can keep the syn settings after you have switched the syn off and then you can make fine adjustments to the settings which are on the LED display. with 15AK Mig torch with 2m cable, 2. Electrode holder with 1.0m cable 3. Earth clamp with 1.5m cable. 4. Protect mask , brush 5. Manual book"

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gasless 1kgs
Model: 130 /135
Size: 43*22*32cm
weight:6.3/7.3kgs
hot style/with 15AK mig torch/electrode holder/clamp
note:tig torch extra pay/can make display digital



Model	SYN MIG-130-gasless	SYN MIG-135-gasless
Rated Input Capacity(KVA)	6.1	6.6
No-Load Voltage(V)	16-24	16-24.5
Current Range(A)	40-130	40-135
Rated Duty Cycle(%)	40	40
Welding Wire(mm)	0.6-1.0	0.6-1.0
insulation class	H	H

AMASPRO INC

MIG-500

Modular mig/mag welding systems for automation



is specifcally designed for MIG/MAG welding automation. Synergic or Pulsed welding process variants are available in either 300/400/500 amp synergic models, or 350 or 450 amp Pulsed models. Each range offers logical process adjustment, ensuring quick set-up for busy industry. Wise process automation products offer additional choice and solutions that match welding in the real world, so you can be sure to cover your welding requirements now and far into the best choice of ALUMINUM welding

In brief:

- Synergic or Pulsed MIG/MAG welding
- Digital or analogue models
- Compact, lightweight wire drive mechanism
- Wise welding solutions compatible
- KITS OF WAIRE SPOOL ,MIG 500 WELDER , EXTRAWIRE FEEER, WATER TANK
- note:220v/380v/440v 3PH

Model	MIG-300	MIG-500
Rated max current	20	38
Output Current range	40-300	40-500
Output voltage	16-24.5v	16-39v
Input voltage	1ph 220v 50/60hz	3ph 220/380/440v
Max cuttent	MIG:270A MAG:270A MMA:250A	MIG:430A MAG:430A MMA:360A
Rated duty cycle	60	60
Electrode	6010/6011/6013/7018	6010/6011/6013/7018
Max	weld aluminum	weld aluminum
Thickness	0.5-5mm	18mm
Mig wire	0.8-1.2(1.2 for aluminum)	0.8-1.6
Weight	42kgs	70kgs
Size	1010*305*920	1010*400*850mm

MIG-200 SYN

DOULDE PULSE
ALUMNUM WELDING

SYNGERNIC MIG/MAG productivity from welding power source--BIG LCD DISPLAY

MIG synergic series full numerical control display intelligent machine, automatic unified welder electronic chip control machine full numerical control with 2t/4t functional VRD/hot start/anti-stick /arc force 5kgs mig wire feeder gas and gasless both with LIFT TIG intergrated type with tig lift function 2years gurantee quality one stop line service, can be chosen, gas&gasless, automatic control and adjust current Gas/ Flux wire, 2T/4T, wire 0.6/0.8/1.0 thickness switch, SYN function, easy to operate

AMASPRO INC



MMA key features

"This SYNERGIC LCD MIG machine can keep the syn settings after you have switched the syn off and then you can make fine adjustments to the settings which are on the LCD display. with 15AK Mig torch with 3m cable, 2. Electrode holder with 2m cable, 3. Earth clamp with 2m cable. 4. Protect mask , brush 5. Manual book"

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas &gasless 5kgs
Model: 160/180/200 SYN
Size:590*320*420mm
weight:12/15kgs
three in one multiprocessor



Model	MIG-160 SYN	MIG-180 SYN	MIG-200 SYN
Rated Input Capacity(KVA)	6.1	6.6	7.2
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-160	40-180	40-200
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

Directory

People to Contact:	*Emails:*
Marco González-Gerente General	sales@amaspro.com – Gerencia General
César Rodríguez-Ventas Int.	sales1@amaspro.com – Ventas Int
Martin Castillero-Op. y Logistica	sales3@amaspro.com – Op. y Logistica
Elida Vega-Admon-Finanzas	contac1@amaspro.com – Admon-Finanzas
Dally Siles -Asistente Admon	sales2@amaspro.com – Asist.

Contact us Headquarters

•(507) 277-4083 •(507) 277-4183 •(507) 277-4153
•(507) 277-4253 •(507) 277-4283 •(507) 392-3640 •(507) 392-7271

Marketing Management in Costa Rica

People to Contact:	*Emails:*
Marco González-Gerente General	amasprocr@gmail.com – Gerencia
Yorleny Leiton -Ventas Int.	amasprocr1@gmail.com> – Ventas Int

Contact Offices Costa Rica

•(506) 2101-4485 •(506) 8674-2000(celular) •(506) 8530-5252 (celular)