

- *Immediate processing of your requests*
- *Fast Dispatch*
- *Constant quality control of our products*

AMASPRO

America & Asia Products Inc

COMPOSITE WOOD

Green outdoor Life

Address

Villa Lucre, Calle Las Palmeras, Boulevard Las Colinas Panama, Republic of Panama

WPC

AMASPRO INC

America & Asia Products Inc

Introduction

Wood Plastic Composite(WPC) decking material from a combination of plastic(HDPE), natural fiber and some additives (eg. anti-uv, anti-aging) and use special equipments to blend them. It mixes natural fiber and plastic perfectly to keep the nature impression of wood and with rich colors of plastic. It has gradually replaced wood and plastic, getting widely used in more and more fields

Manufacture and material performance

- Comparing to wood, plastic and other composite products, WPC products have the following features:
- Elegant nature wood grain texture and touch, with wood scent
- Elegant and detailed shape design
- Resistant to cracking and splitting
- Anti-water and moisture, acid, alkali and pest resistance
- Environmental friendly and no other chemical hazard safe to use lot many years
- Low maintenance and Never needs painting ,But also can be painted
- Simple and easy installation, can save a lot labor costs
- UV resistance, Fade resistant Durable.
- Dimension stability against moisture and temperature

COMPOSITE DECKIING AMASPRO

America & Asia Products Inc







COMPOSITE DECKIING

AMASPRO INC

America & Asia Products Inc





Type:	Hollow decking
Width:	135 mm
Thickness	25 mm





Type:	Hollow decking
Width:	140 mm
Thickness	25 mm






Type:	Hollow decking
Width:	150 mm
Thickness	25 mm

Gerner Decking

AMASPRO INC
America & Asia Products Inc



Type:	Solid decking
Width:	140 mm
Thickness	25 mm



Type:	Hollow decking
Width:	140mm
Thickness	23 mm



Type:	Hollow decking
Width:	145 mm
Thickness	21 mm

AMASPRO INC

America & Asia Products Inc

Color



Teak



Red Brown



Coffee



Brown



Chocolate



Grey



Black

Surface



Tiny Groove



Sanding



Big Groove

Embossed Decking

AMASPRO INC
America & Asia Products Inc





Type:	Embossed Solid decking
Width:	140 mm
Thickness	25 mm





Type:	Embossed Hollow decking
Width:	140 mm
Thickness	25 mm



Type:	Embossed Hollow decking
Width:	140 mm
Thickness	25 mm

Embossed Decking

AMASPRO INC
America & Asia Products Inc





Type:	Embossed Solid decking
Width:	142 mm
Thickness	22 mm



Type:	Embossed Hollow decking
Width:	148 mm
Thickness	23 mm





Type:	Embossed Solid decking
Width:	140 mm
Thickness	12.5 mm

AMASPRO INC

America & Asia Products Inc

Color



Coffee Teak Black Grey Red wood Chocolate

Surface



EMBOSSED #1



EMBOSSED #2

CO-Extrusion Decking

AMASPRO INC

America & Asia Products Inc



Type:	CO-Extrusion Solid
Width:	140 mm
Thickness	20 mm



Type:	CO-Extrusion Hollow
Width:	148 mm
Thickness	23 mm



Type:	CO-Extrusion Solid
Width:	140 mm
Thickness	20 mm

AMASPRO INC

America & Asia Products Inc

Color



IPE | Grayish white | Light Grey | Maple | Dark Grey | Teak | Red Wood

Surface



Grain | **Trexed** | **Frosted**

WALL CLADDING

AMASPRO

America & Asia Products Inc







Gerner Cladding

AMASPRO INC
America & Asia Products Inc



Type:	Wall Cladding
Width:	145 mm
Thickness	20.5 mm



Type:	Wall Cladding
Width:	140 mm
Thickness	12 mm



Type:	Wall Cladding
Width:	166 mm
Thickness	21 mm



Type:	Wall Cladding
Width:	219 mm
Thickness	26 mm

Embossed Cladding

AMASPRO INC
America & Asia Products Inc



Type:	Wall Cladding
Width:	145 mm
Thickness	20.5 mm



Type:	Wall Cladding
Width:	166 mm
Thickness	21 mm

CO-Extrusion Cladding

AMASPRO INC
America & Asia Products Inc



Type:	CO-Extrusion Cladiing
Width:	156 mm
Thickness	21 mm




Type:	CO-Extrusion Cladiing
Width:	219 mm
Thickness	26 mm

GARDEN FENCE

AMASPRO

America & Asia Products Inc







WPC FENCE

AMASPRO INC
America & Asia Products Inc





Type:	Fence Board
Width:	205*20 mm



Type:	Fence Board
Width:	160*20 mm



Type:	WPC Post
Width:	100*100 mm



Type:	Iron Base
Width:	140*140*1000 mm



Type:	Aluminium cover
Width:	40*20 mm



Type:	Post Cap
Width:	120*120 mm

ALUMINIUM FENCE

AMASPRO INC

America & Asia Products Inc






Type:	Fence Board
Width:	205*20 mm



Type:	Fence Board
Width:	210*25 mm



Type:	Aluminium Post
Width:	70*70 mm



Type:	Iron Base
Width:	140*140 mm



Type:	Aluminium cover
Width:	40*20 mm



Type:	Post cap & cover
Width:	70*70 mm

FENCE PROJECT

AMASPRO INC

America & Asia Products Inc














CO-EXTRUSION FENCE

AMASPRO INC
America & Asia Products Inc





Type:	Fence Board
Width:	200*20 mm



Type:	Aluminium Post
Width:	70*70 mm



Type:	Iron Base
Width:	140*140 mm



Type:	Aluminium cover
Width:	40*20 mm



Type:	Post cap & cover
Width:	70*70 mm

AMASPRO INC

America & Asia Products Inc





ACENIT WOOD





IPE





SILIVER GREY







TEAK

FENCE PROJECT

AMASPRO INC

America & Asia Products Inc





DIRECTORY

Office in Panama

People to Contact:	Emails:
Marco González-Gerente General	sales@amaspro.com – Gerencia General
César Rodríguez-Ventas Int.	sales1@amaspro.com– Ventas Int
Martin Castillero-Op. y Logistica	sales3@amaspro.com – Op. y Logistica
Elida Vega-Admon-Finanzas	contac1@amaspro.com –Admon-Finanzas
Dally Siles -Asistente Admon	sales2@amaspro.com – Asist.

Contact us Headquarters

•(507) 277-4083 •(507) 277-4183 •(507) 277 -4153
•(507) 277-4253 •(507) 277 -4283 •(507) 392-3640 •(507) 392-7271

AMASPRO

America & Asia Products Inc

Marketing Management in Costa Rica

People to Contact:	Emails:
Marco González-Gerente General	amasprocr@gmail.com – Gerencia
Yorleny Leiton -Ventas Int.	amasprocr1@gmail.com – Ventas Int

Contact Offices Costa Rica

•(506) 2101-4485
•(506) 8674-2000(celular)
•(506) 8530-5252 (celular)

