AMASPRO INC

America & Asia Products Inc




- *Immediate processing of your requests*
- *Fast Dispatch*
- *Constant quality control of our products*

Address

Villa Lucre, Calle Las Palmeras, Boulevard Las Colinas Panama, Republic of Panama

What is SPC Flooring?


Stone Plastic Composite vinyl flooring is considered to be an upgraded version of vinyl flooring. SPC rigid flooring is set apart from other types of vinyl flooring by its uniquely resilient core. The core is made from a combination of natural limestone powder, polyvinyl chloride, and stabilizers which provides an incredibly stable base for each flooring plank. It has 100% waterproof, fireproof and anti-skid performance. The SPC floor can also be connected with EVA or IXPE mat to absorb sound, and improve good foot feeling through various decorative film designs. SPC flooring is widely used in residential and commercial areas.



SPC Flooring

Product Structure

Our SPC flooring is densely constructed to give long time stable and durable performace



UV Coating

The factory applied UV surface treatment, provides superior cleaning benefits& life cycle maintenance savings.

Wear Layer

This transparent layer protects the decoration of flooring. It also create the highly authentic effect of surface embossing.

Decoration Layer

We offer a broad and attractive range of design for you to create looks unique to your space.

SPC Core

Highly engineered extruded vinyl core, this core is rigid, strong and dimension stable.

Back layer

Balance the entire floor structure, provide balance for the floor to stay flat over time.

IXPE(Optional)


Better sound absorption and great underfoot feeling.

Product Specification

Thickness	3.5mm,4.0mm,4.5mm,5.0mm.6.0mm
Wear Layer	0.15mm,0.2mm,0.3mm,0.4mm,0.55mm

Vinyl Flooring Product Structure

Each Layer has been thermally pressed by means of innovative technologies for ultimate performance.



UV Coating

The factory applied UV surface treatment, provides superior cleaning benefits& life cycle maintenance savings.

Wear Layer

This transparent layer protects the decoration of flooring.It also create the highly authentic effect of surface embossing.

Decoration Layer

We offer a broad and attractive range of design for you to create looks unique to your space.

Stabilization Layer

Lifetime dimensional stability is achieved by using our innovative health friendly stabilizer formula.

Glass Fiber Layer

Enhance the stability performance of the product.

Backing Layer

This layer creates the elasticity and good under foot feeling for our user.

Anti-migrition Layer


Firmly grabs the floor and allows easy glue-free installation.

Product Specification

Thickness	Click	3.2mm,4.0mm,4.2mm,5.0mm
	Dry Back	2.0mm,2.5mm,3.0mm
	Loose Lay	5.0mm
Wear Layer		0.15mm,0.2mm,0.3mm,0.4mm,0.55mm,0.7mm


What is BIO?i

LVT superior layer (including UV coating, film decorative and vinyl) with 4 sizes painted bevel which gives a realistic aspect together with its Real Touch Surface. BIO-floor is 40% lighter than SPC floor, Lower density of BIO-floor. BIO-floor does not have any shrinkage, warpage and swell, so there is no need for partition to install the floor. Fireproof class A. Thefoot feel is comparable to the solid wood floor. Mute better than SPC. The click lock is stronger.



WPC Vinyl Flooring Product Structure

WPC vinyl flooring combines the resilience of LVT and Stability of WPC Core.



UV Coating

The factory applied UV surface treatment, provides superior cleaning benefits& life cycle maintenance savings.

Wear Layer

This transparent layer protects the decoration of flooring. It also create the highly authentic effect of surface embossing.

Decoration Layer

We offer a broad and attractive range of design for you to create looks unique to your space.

Vinyl Layer

Provide elasticity& good underfoot feeling.

WPC Core

Prevents expansion& contraction, Covers sub-floor unperfection.

Cork or IXPE(Optional)


Better sound absorption and great underfoot feeling.

Product Specification

Thickness	5.5mm,6.0mm,6.5mm,7.0mm.8.0mm
Wear Layer	0.15mm,0.2mm,0.3mm,0.4mm,0.55mm


What is SVP Flooring?


GS SVP Flooring
(ABA structure) is an upgrade and improvement of SPC and LVT flooring.
It combines the advantages of both SPC and LVT.
More colors available,better performance and more comfortable feet feeling.
We believe GS SVP Flooring will be your better choice.



What is LVT (LVP)?

LVT stands for Tiles, which is renowned as the go-to flooring for commercial designers and industrial fit-outs. our luxury vinyl tile creates stunning floors that are meticulously designed to look like hardwood or stone, and built to endure the busiest lifestyles. From time -worn wood to modern marble,enjoy nature's diverse beauty throughout your home -- in the kitchen, bath, basement and beyond. LVT (luxury vinyl tile) and LVP (luxury vinyl plank) are two different types of luxury vinyl flooring. LVT is vinyl flooring designed in the shape of a tile, while LVP is vinyl flooring designed in planks, similar to traditional hardwood floors.





Tile/Plank Size

Inch size	Dry back		Click		WPC		SPC	
	Width (mm)	Length (mm)	Width (mm)	Length (mm)	Width (mm)	Length (mm)	Width (mm)	Length (mm)
18"x18"	457.2	457.2						
12"x24"	312.8	617.6	304.8	609.6	305	610	305	610
12"x36"	316	944	308	936	305	930	305	930
18"x36"	474	944						
3"x36"	76.2	914.4						
4"x36"	101.6	914.4						
6"x36"	152.4	914.4	150	936	148	930	150	936
6"x48"	152.4	1219.2	150	1219.2	148	1220	150	1230
7"x48"	187	1227	180	1220	180	1220	180	1230
9"x48"	235	1227	228	1220	228	1220	230	1230
7"x60"					180	1520	180	1530
9"x60"	236.6	1532	228.6	1524	228	1520	230	1530

SPC&LVT FLOOR







GS479-09



GS2044



GS2026-09



GS729-07



EIR COLLECTION



GS3016-003



GS3016-005



GS3016-006



GS3016-001



GS3025-001




GS3025-002




GS3025-008



GS3025-009



COTTAGE COLLECTION



GS88010-003



GS88010-008



GS307-11





GS88010-004




GS88010-007



GS6038-15



GS13031-9



GRANDE COLLECTION





GS88001-001



GS89006-003




GS801




GS88001-004



GS89006-004



Exclusive Design










Exclusive Design









Exclusive Design















Exclusive Design



POPULAR DESIGN SERIES 1





GS8179



GS8479



GS8720



GS81064



GS8121



GS8457



POPULAR DESIGN SERIES 2





GS8001



GS8605



GS8632




GS8720



GS8802



GS8914



POPULAR DESIGN SERIES 3





GS82006



GS82049




GS88015




GS83031



GS88009



POPULAR DESIGN SERIES 4






GS8027



GS8028



GS8214




GS8141



GS8315





GS8172





LOOSE LAY


Flooring accessories



















DIRECTORY

Office in Panama

People to Contact:	Emails:
Marco González-Gerente General	sales@amaspro.com – Gerencia General
César Rodríguez-Ventas Int.	sales1@amaspro.com – Ventas Int
Martin Castillero-Op. y Logistica	sales3@amaspro.com – Op. y Logistica
Elida Vega-Admon-Finanzas	contac1@amaspro.com – Admon-Finanzas
Dally Siles -Asistente Admon	sales2@amaspro.com – Asist.

Contact us Headquarters

•(507) 277-4083 •(507) 277-4183 •(507) 277-4153
•(507) 277-4253 •(507) 277-4283 •(507) 392-3640 •(507) 392-7271

Marketing Management in Costa Rica

People to Contact:	Emails:
Marco González-Gerente General	amasprocr@gmail.com – Gerencia
Yorleny Leiton -Ventas Int.	amasprocr1@gmail.com> – Ventas Int

Contact Offices Costa Rica

•(506) 2101-4485 •(506) 8674-2000 (celular) •(506) 8530-5252 (celular)