


WWW.AMASPRO.COM
SALES@AMASPRO.COM
AMASPRO Inc.
América & Asia Products, Inc.
Tel.: (507) 277-4083 / 277-4183
277-4283 Fax: 277-4253



INTERABRASIV

INDEX



FIBRE DISCS

FLAP DISCS

SEMIFLEX DISCS



PSA and
HOOK & LOOP
SANDING DISC

ABRASIVE CLOTH ROLLS
&
ENDLESS BELTS

ABRASIVE PAPER ROLLS
&
ENDLESS BELTS



FLAP WHEELS

CUTTING & GRINDING
DISCS

WATERPROOF
ABRASIVE PAPERS

AMASPRO Inc.

INTERFLEX

FIBRE DISCS

Inter Abrasiv fibre discs are electrostatically coated to a heavy duty vulcanized fibre backing.They have long life, cool cut and rapid stock removal ability with a range of diameters and grits and different material types for different uses.



AMASPRO Inc.



Aluminium Oxide

Backing	: 0,8 mm. Vulcanized Fibre
Grain/Coating	: Aluminium Oxide
Grits	: P16-24-36-40-50-60-80-120
Diameters	: 100mm./115mm./125mm 150mm./180mm./230mm.
Applications	: Metalworking, Woodworking
Advantages	: Long lifetime, High Performance.
Hole Types	: Crosscut, Depressed (Bombe) and Roundhole



Alumina Zirconia

Backing	: 0,8 mm. Vulcanized Fibre
Grain/Coating	: Alumina Zirconia
Grits	: P16-24-36-40-50-60-80-120
Diameters	: 100mm/115mm/125mm 150mm/180mm/230mm
Applications	: Metalworking, Steelworking
Advantages	: Long lifetime, High Performance.
Hole Types	: Crosscut, Depressed (Bombe) and Roundhole



Silicon Carbide

Backing	: 0,8 mm. Vulcanized Fibre
Grain/Coating	: Silicon Carbide
Grits	: P16-24-36-40-50-60-80-100-120 150-180-220-240-280-320-360-400
Diameters	: 100mm/115mm/125mm 150mm/180mm/230mm
Applications	: Stoneworking, Granite
Advantages	: Long lifetime, High Performance.
Hole Types	: Crosscut, Depressed (Bombe) and Roundhole

INTERABRASIV

AMASPRO Inc.


INTERFLEX
FLAP DISCS
Inter Abrasiv serves its customers with a wide range of Flap Discs, which have the advantage of finishing and grinding at the same time and obviously longer life. Different grain types, fibre and plastic backing alternatives, angled & flat backings and also several flap specifications gives the opportunity to choose the best disc for every special need.

AMASPRO Inc




POLYCOTTON

	Aluminium Oxide	Alumina Zirconia
Product Types	: Economic/Regular/High Density /XXL	: Economic/Regular/High Density /XXL
Cloth	: Polycotton X Weight - AC 721X	: Polycotton X Weight - ZC 721X
Backing	: Fibreglass Backing /Plastic Backing	: Fibreglass Backing
Backing Shape	: (T27)Flat / (T29)Conic	: (T27)Flat/ (T29)Conic
Grain/Coating	: Alumina Zirconia / Resin over Resin	: Aluminium Oxide / Resin over Resin
Grits	: P 36-40-50-60-80-100-120	: P36-40-50-60-80-100-120
Diameters	: 100mm/115mm/125mm/ 180mm	: 115mm/125mm/ 180mm
Applications	: Steel and Stainless Steel	: Steelworking
Advantages	: Long lifetime, High performance for hard application can be used under high pressure.	: Long lifetime, High performance for hard application can be used under high pressure.

AMASPRO Inc.








COTTON	Aluminium Oxide	Silicon Carbide	Alumina Zirconia
Product Types	: Eco /Regular / High Density/Double	: Eco /Regular / High Density/Double	: Eco/Regular/High Density
Cloth	: %100 Cotton - AC 421X	: %100 Cotton - SC 421X	: %100 Cotton - ZC 421X
Backing	: Fibreglass Backing/Plastic Backing	: Fibreglass Backing/Plastic Backing	: Fibreglass Backing / Plastic Backing
Backing Shape	: (T27)Flat/ (T29)Conic	: (T27)Flat/ (T29)Conic	: (T27) Flat / (T29) Conic
Grain/Coating	: Aluminium Oxide/ Resin over Resin	: Silicon Carbide / Resin over Resin	: Alumina Zirconia/Resin over Resin
Grits	: P36-40-50-60-80-100-120	: P36-40-50-60-80-100-120	: P36-40-50-60-80-100-120
Diameters	: 100mm / 115mm / 125mm / 180mm	: 100mm / 115mm / 125mm / 180mm	: 100mm / 115mm / 125mm / 180mm
Applications	: Woodworking, Metalworking, Steelworking	: Woodworking, Stoneworking	: Steel and Stainless Steel
Advantages	: Long lifetime, High Performance	: Long lifetime, High Performance	: Long lifetime, High Performance

AMASPRO Inc.

INTERFLEX

SEMIFLEX DISCS

Semiflex discs are coated on a fiberglass or technical fibre backing as 4 layers and has 5 times longer life than standart fibre discs.



AMASPRO Inc

Aluminium Oxide



Backing	: Technical Fibre/Fibreglass Backing
Backing Shape	: Depressed Centre and Flat Types
Grain/Coating	: Aluminium Oxide/3 layesr grit 4 layers resine
Grits	: P16-24-36-40-50-60-80-100-120
Diameters	: 115mm/125mm/180mm
Applications	: Metalworking
Advantages	: Long lifetime, High Performance.

Silicon Carbide



Backing	: Technical Fibre/Fibreglass Backing
Backing Shape	: Depressed Centre and Flat Types
Grain/Coating	: Silicon Carbide/3 labels grit 4 labels resine
Grits	: P16-24-36-40-50-60-80-100-120-150-180-220
Diameters	: 115mm/125mm/180mm
Applications	: Stoneworking, Granite.
Advantages	: Long lifetime, High Performance.

AMASPRO Inc.


INTERFLEX

PSA and HOOK & LOOP SANDING DISC

Inter Abrasiv produces the highest quality Psa and Hook & Loop Sanding Disc with & without hole. Aluminium Oxide type is suitable for yachting, furniture and the all other type of wood industry. Silicon Carbide type of discs are perfect for marble, stone, bronze, cast and metal industry. Different grain types and various diameters gives opportunity to choose the best disc for every special need.




AMASPRO Inc.




Aluminium Oxide

Backing	: F Weight Paper laminated with fastening fabrics.
Grain/Coating	: Aluminium Oxide
Grits	: P40-50-60-80-100-120-150-180-220
Diameters	: 100mm/115mm/125mm/150mm 180mm/200mm/230mm
Applications	: Metalworking, Woodworking
Advantages	: Highly efficient, Long life.
Types	: With&Without Holes



Silicon Carbide

Backing	: F Weight Paper laminated with fastening fabrics.
Grain/Coating	: Silicon Carbide
Grits	: P40-50-60-80-100-120-150-180-220
Diameters	: 100mm/115mm/125mm/150mm 180mm/200mm/230mm
Applications	: Stoneworking, Granite, Woodworking
Advantages	: Highly efficient, Long life.
Types	: With&Without Holes



Alumina Zirconia

Backing	: F Weight Paper laminated with fastening fabrics.
Grain/Coating	: Alumina Zirconia
Grits	: P40-50-60-80-100-120-150-180-220
Diameters	: 100mm/115mm/125mm/150mm 180mm/200mm/230mm
Applications	: Metalworking
Advantages	: Highly efficient, Long life.
Types	: With&Without Holes


INTERABRASIV

AMASPRO Inc.

INTERFLEX

CLOTH ROLLS & ENDLESS BELTS

Abrasive cloth rolls & Endless belts are manufactured by the highest quality materials at international standarts, in jumbo rolls and at any size upon request. Different types gives the opportunity to choose the best for every special need.



AMASPRO Inc.



AC 411 X

Backing	: X Weight %100 cotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P16-24-36-40-50-60-80-100-120-150-180 220-240-280- 320-360-400
Widths (mm)	: 100-150-200-250-300-600-1000-1420
Conversion Forms	: Rolls, Narrow& Wide Belts,Sheets
Applications	: Woodworking, Metalworking
Advantages	: It can be used with fixed & portable machines.

AC 411 JF/E

Backing	: Flexible - F Weight %100 cotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P40-60-80-100-120-150-180-220- 240-280- 320-360-400-500-600
Widths (mm)	: 25-38-50-100-150-200-250 300-600-1000-1420-1650
Conversion Forms	: Shop Rolls, Sheets
Applications	: Woodworking, Metalworking
Advantages	: Available for hand use, semi-friable aluminum oxide grit has ability to renew itself after usage High quality.

AC 411 JF

Backing	: Flexible - F Weight %100 cotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P40-60-80-100-120-150-180-220 240-280- 320-360-400-500-600
Widths (mm)	: 25-38-50-100-150-200-250 250 -300-600-1000-1420
Conversion Forms	: Shop Rolls, Sheets
Applications	: Woodworking, Metalworking
Advantages	: Available for hand use, semi-friable aluminum oxide grit has ability to renew itself after usage High quality.



AC 611 X

Backing	: X Weight %100 cotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P36-40-50-60-80-100-120-150-180-220 240-280-320-360-400
Widths (mm)	: 100-150-200-250-300-600-1000-1650
Conversion Forms	: Rolls, Narrow & Wide Belts
Applications	: Woodworking, Metalworking
Advantages	: Available for belts, blue fired semi-friable aluminum oxide grit has ability to renew itself after usage.

AC 611 J

Backing	: Very flexible %100 cotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P60-80-100-120-150-180-220-240- 280- 320-360-400-500-600
Widths (mm)	: 100-150-200-250-300-600-1000-1650
Conversion Forms	: Rolls, Narrow & Wide Belts
Applications	: Woodworking,Metalworking
Advantages	: Available for belts, blue fired semi-friable aluminum oxide grit has ability to renew itself after usage.

INTERABRASIV

AMASPRO Inc.



AC 711 XY

Backing	: Heavy X Weight Polycotton Cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P16-24-36-40-50-60-80-100 120-150-180-220
Widths (mm)	: 100-150-200-250-300-600-1000-1420
Conversion Forms	: Rolls, Narrow & Wide Belts
Applications	: Woodworking, Metalworking, Floorsanding
Advantages	: Available for floor sanding, high performance, long life.

SC 711 XY

Backing	: Heavy X Weight Polycotton Cloth
Grain/Coating	: Silicon Carbide/Resin over Resin
Grits	: P16-24-36-40-50-60-80-100 120-150-180-220
Widths (mm)	: 100-150-200-250-300-600-1000-1420
Conversion Forms	: Rolls, Narrow& Wide Belts
Applications	: Stoneworking, Glass Industry, Floorsanding
Advantages	: Available for floor sanding, high performance, long life.



ZC 711 XY

Backing	: Heavy X Weight Polycotton Cloth
Grain/Coating	: Alumina Zirconia/Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 100-150-200-250-300-600-1000-1420
Conversion Forms	: Rolls,Narrow& Wide Belts
Applications	: Inox (Steelworking).
Advantages	: Available for floor sanding, high performance, long life.

ZC 712 XY

Backing	: Heavy X Weight Polycotton Cloth
Grain/Coating	: Alumina Zirconia- Aluminium Oxide Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 100-150-200-250-300-600-1000-1420
Conversion Forms	: Rolls, Narrow & Wide Belts
Applications	: Inox (Steelworking).
Advantages	: Best product for floor sanding, high performance, long lifetime.



AC 811 YY

Backing	: %100 Polyester Cloth
Grain/Coating	: Aluminium Oxide/ Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 100-150-200-250-300-600 1000-1420-1650
Conversion Forms	: Rolls, Narrow &Wide Belts
Applications	: Heavy Duty, Metalworking.
Advantages	: High performance, Long lifetime.

ZC 811 YY

Backing	: %100 Polyester Cloth
Grain/Coating	: Alumina Zirconia/ Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 100-150-200-250-300-600 1000-1420-1650
Conversion Forms	: Rolls, Narrow &Wide Belts
Applications	: Heavy Duty, Inox (Steelworking).
Advantages	: High performance, Long lifetime.

ZC 812 YY

Backing	: %100 Polyester Cloth
Grain/Coating	: Alumina Zirconia/ Resin over Resin+"Top Size"
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 100-150-200-250-300-600 1000-1420-1650
Conversion Forms	: Rolls, Narrow &Wide Belts
Applications	: Heavy Duty, Inox (Steelworking).
Advantages	: High performance, Long lifetime.

AMASPRO Inc

CLOTH ROLLS FOR FLAP DISC



AC 421 X

Backing	: X Weight %100 cotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 25-28-30-35-1000-1450
Conversion Forms	: Flap Disc
Applications	: Woodworking, Metalworking
Advantages	: Self-sharpening effect, Cool cut Long lifetime.

SC 421 X

Backing	: X Weight %100 cotton cloth
Grain/Coating	: Silicon Carbide/Resin over Resin
Grits	: P24-36-40-50-60-80-100-120-180-220-320-400
Widths (mm)	: 25-28-30-35-1000-1450
Conversion Forms	: Flap Disc
Applications	: Stoneworking, Granite
Advantages	: Self-sharpening effect, Cool cut, Long lifetime, High Performance.



ZC 421 X

Backing	: X Weight %100 cotton cloth
Grain/Coating	: Alumina Zirconia/Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 25-28-30-35-1000-1450
Conversion Forms	: Flap Disc
Applications	: Steelworking, Stainless Steel
Advantages	: Self-sharpening effect, Cool cut, Long lifetime, High Performance.

AC 721 X

Backing	: X Weight Polycotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 25-28-30-35-1000-1600
Conversion Forms	: Flap Disc
Applications	: Woodworking, Metalworking
Advantages	: Self-sharpening effect, Cool cut Long lifetime.



ZC 721 X

Backing	: Poly cotton cloth
Grain/Coating	: Alumina Zirconia/Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 25-28-30-35-1000-1600
Conversion Forms	: Flap Disc
Applications	: Steelworking, Stainless Steel
Advantages	: Self-sharpening effect, Cool cut, Long lifetime, High Performance.




AC 621 X

CLOTH ROLLS FOR FLAP WHEELS

Backing	: X Weight %100 cotton cloth
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grits	: P24-36-40-50-60-80-100-120
Widths (mm)	: 10-15-25-30-35-40-50-75-100-1000-1650
Conversion Forms	: Flap Wheel
Applications	: Steelworking
Advantages	: Self-sharpening effect, Cool cut, Long lifetime.

INTERABRASIV

AMASPRO Inc.


INTERFLEX
ABRASIVE PAPER ROLLS
Abrasive Paper Rolls & Endless Belts are manufactured by the highest quality materials at international standarts, in jumbo rolls and at any size upon request. Different grain types provides opportunity to choose the best roll/belt for every special need.

AMASPRO Inc.



AP 311 F

Backing	: F Weight-Paper(270gr/m2)
Grain/Coating	: Aluminium Oxide/Resin over Resin
Grain Distribution	: Open-Semi open
Grits	: P24-36-40-50-60-80-100-120-150 180-220-240-280-320-360-400
Width	: 100mm/120mm/150mm/200mm/250mm 600mm/1000mm/1420mm/1650mm
Conversion Types	: Rolls, Belts, Discs
Applications	: Woodworking, Metalworking
Advantages	: Highly efficient, Long life, antistatic properties.



SP 311 F

Backing	: F Weight-Paper (270gr/m2)
Grain/Coating	: Silicon Carbide/Resin over Resin
Grain Distribution	: Open-Semi open
Grits	: P16-24-36-40-50-60-80-100-120-150 180-220-240-280-320-360-400
Width	: 100mm/120mm/150mm/200mm/250mm 600mm/1000mm/1420mm
Conversion Types	: Rolls, Belts, Discs
Applications	: Woodworking, Metalworking
Advantages	: Highly efficient, Long life, antistatic properties.



ZP 311 F

Backing	: F Weight-Paper(270gr/m2)
Grain/Coating	: Alumina Zirconia
Grain Distribution	: Open-Semi open
Grits	: P16-24-36-40-50-60 80-100-120
Width	: 100mm/120mm/150mm/200mm/250mm 600mm/1000mm/1420mm/1650mm
Conversion Types	: Rolls, Belts, Discs
Applications	: Steelworking, Stainless Steel
Advantages	: Highly efficient, Long life, antistatic properties.

INTERABRASIV

AMASPRO Inc.


INTERFLEX

FLAP WHEELS

Finishing & Polishing

Inter Abrasives serves its customers with a wide range of flap wheels which have the advantage of finishing and polishing.

Different grain types and the dimensions gives the opportunity to choose the best Wheel for customer's needs



AMASPRO Inc.



Flap Wheels with Flange

Leaf Type : Abrasive Cloth, Non-woven & Combine
Grain : Aluminium Oxide
Applications : Steelworking

Diameters (mm.)	Hole Sizes	Max. Rpm	Grits
165x25	ø 45	5700	P40-60-80-100-120-150 180-220-240-280- 320 360-400-500-600
165x30	ø 45	5700	
165x50	ø 45	5700	
180x25	ø 48	5200	
180x30	ø 48	5200	
180x50	ø 48	5200	
200x25	ø 45-48	4700	
200x30	ø 45-48	4700	
200x50	ø 45-48	4700	
250x25	ø 68-76	3800	
250x30	ø 68-76	3800	
250x50	ø 68-76	3800	



Flap Wheels with shank

Leaf Type : Abrasive Cloth, Non-woven & Combine
Grain : Aluminium Oxide
Applications : Steelworking

Diameters (mm.)	Pin Sizes	Max. Rpm	Grits
20x15	ø 6	38100	P40-60-80-100 120-150-180 220-240-280 320-360-400 500-600
20x20	ø 6	38100	
20x25	ø 6	38100	
25x15	ø 6	30500	
25x20	ø 6	30500	
25x25	ø 6	30500	
30x10	ø 6	25400	
30x15	ø 6	25400	
30x20	ø 6	25400	
30x30	ø 6	25400	
40x15	ø 6	19100	
40x20	ø 6	19100	
40x30	ø 6	19100	
50x15	ø 6	15200	
50x20	ø 6	15200	
50x30	ø 6	15200	
60x15	ø 6	12700	
60x20	ø 6	12700	
60x30	ø 6	12700	
60x40	ø 6	12700	
60x50	ø 6	12700	
80x20	ø 6	9500	
80x30	ø 6	9500	
80x40	ø 6	9500	
80x50	ø 6	9500	

INTERABRASIV

AMASPRO Inc.

INTERFLEX

CUTTING AND GRINDING DISCS



Grinding Discs

Product Type : Grinding Discs (Depressed)
Applications : Metalworking, Marbleworking
Advantages : Standard disc with high grinding performance for all grinding work.

Diameters (mm.)	Hole Sizes	Max. Rpm	Types
115x6.0	22 mm	13300	Depressed Metalwoking & Marbleworking
180x6.0	22 mm	8500	
180x8.0	22 mm	8500	
230x6.0	22 mm	6600	

Cutting Discs

Product Type : Grinding Discs (Depressed/Fist)
Applications : Steelworking, Marbleworking, Metalworking
Advantages : Suitable for all sectors of Metalworking and Marbleworking.

Diameters (mm.)	Hole Sizes	Max. Rpm	Types
115x1.0	22 mm	13300	Flat Center (Steelworking)
115x1.6	22 mm	13300	

Diameters (mm.)	Hole Sizes	Max. Rpm	Types
115x2.5(Flat)	22 mm	13300	Fist Center (Metalworking & Marbleworking)
115x2.5(Depressed)	22 mm	13300	
180x3.2(Flat)	22 mm	8500	
180x3.2(Depressed)	22 mm	8500	Depressed (Metalworking & Marbleworking)
230x3.2(Flat)	22 mm	6600	
230x3.2(Depressed)	22 mm	6600	

INTERABRASIV

AMASPRO Inc.